



# Total Packaging Solutions (FZE)



PO Box 122837, Saif Zone, Sharjah, Tel: 06 5571707

E-mail: [marketing@totalpackuae.com](mailto:marketing@totalpackuae.com), [info@totalpackuae.com](mailto:info@totalpackuae.com), [www.totalpackgulf.com](http://www.totalpackgulf.com), [www.totalpackuae.com](http://www.totalpackuae.com)



## HIGH SPEED ROTARY FILLING MACHINES



## LINEAR FILLING MACHINES




We supply Filling systems designs and a world class application specific, liquid filling machine for almost all major Industries. With over 800 designs of both standard and unique packaging machinery, our range of filling machine choices ensure smart fit to your needs.





## HORIZONTAL FILLING AND FLOW WRAP MACHINES

### Horizontal Form Fill and Seal Machine



The designed to produces 3TU or flat pouches from the reel. The machine features, pouches with partial or contour shapes as well. Capable of filling fruit juice, compote, yoghurt and dairy products, ketchups etc.

### Flow Wrapping Machine



Flow Wrap is a quick and economical method of packing a range of products. Items can be wrapped either individually or collated with several other products. The process is popular for packaging promotional items, such as sample of food or beauty products for door drops, or free gifts for packaging inside cereal boxes.





## LABELING MACHINES

Rotary Labeling Machine



Wrap Around Labeling Machine for Round Bottle



Front & Back Labeling Machine



Top Labeler



Labeling speed of both heads is automatically synchronized with conveyor speed to ensure quality labeling.

Horizontal positioning screws for labeling heads, alignment belts and separators are quickly self centering and adjustable from either side of machine.

0-40 Meters per minute variable speed adjustment.

No adjustment needed for label placement when conveyor speed is changed. No adjustment for different label length is necessary.

The self set TM microprocessor automatically detects the label and adjusts the label sensor to the label.

## PALLET WRAPPING MACHINES



**P1** with 2 wrapping programs, inverter for turn tables and film carriage control, with photo electric cell to read the pallet height. IP54 production.  
Max Wrapping Ht: 2.4 mtr  
Load: 2 Tons

Option:  
Loading Ramp



**SW2** with 4 wrapping programs, inverter for turn tables and film carriage control, with photo electric cell to read the pallet height. IP54 production.

Load: 2 Tons

Options:  
Loading Ramp  
Pressing Unit  
Pallet weighing System



**WS46**- Fully automatic machine to wrap palletized loads with stretch film. Inserted in handling line or after palletizing machine, it takes card to index-wrap out the film and evacuate the pallet on a discharge conveyor, and all the operation of the machine are controlled by PLC.

Max Wrapping Ht: 2.4 mtr  
Load: 2 Tons



**WR100**- Motorized rear wheels, forklifting from the back side. Soft start-robot speed adjustment, film carriage belt driven along column. Safety system to prevent carriage fall PHOTO EYE for pallet height sensing.

Max Wrapping Ht: 2.8 mtr  
Load: Unlimited



## CARTON SEALING MACHINES

**SK2 RANGE-**  
Semi Automatic Carton  
Sealer Manual Adjustment  
on the Different Box Sizes  
Driving Belts speed 20 mt./min  
Box Dimensions:

Min. W140 H110 L150 mm  
Max. W500 H500



**3S RANGE**  
Semi Automatic Carton  
Sealer Manual adjustment  
on the different box sizes

Box dimensions  
Min. W150 H120 L150 mm  
Max. W500 H500



**SM11 RANGE - FIXED FORMAT**  
Automatic Manual Adjustments

Carton Sealers  
Side motorized driving belts (2 x 75 mm  
wide each - 100 mm SM116)  
Motors 0, 18 HP



**HM11-TB Automatic Carton Sealer**  
with Hot-Melt Gluer for Top and  
Bottom Gluing


## PALLET INVERTER



The Standard Pallet Inverter is our most  
adaptive pallet inverter. It inverts all loads types  
from bags, drums, glass and cartons to give you  
a small example. It offers very tall load and short  
loads.



## INDUCTION SEALING MACHINES



Fully Automatic Air cooled high speed Induction Sealers (2KW) with/ without conveyor

**Portable Induction Sealer**

**Table Auto Sealer**



## IMPULSE SEALER MACHINES

TPS provides quality Impulse Sealers that are the No. 1 selling sealers. Perfect for a multitude of applications. Makes excellent air and water tight seals on most plastic materials.

**Continuous Band Sealer**

**Foot Sealer**

**Impulse Hand Sealer**



**Features:**  
 High quality sealing machine  
 Safety  
 Easy to use  
 With Beep Is Available



## SHRINK WRAPPING MACHINES

Automatic L Sealer Model: Model: GTI F00LCS  
Output up to 3000 packs/hour  
Sealing bar: 940 x 210 mm



Single Block Wrapping Plant

Semi Automatic Modular Heat Shrinking Wrapping  
Machine Model: TS80 Output up to 0-900 packs/hour  
Sealing bar: 940 x 900 mm



Sleeve Wrapping Machine



Hot temperature sealing bar, 700 mm wide,  
pneumatic activated  
Safety feature on the sealing bar  
Maximum sealing width 380 mm.  
Automatic pressing bundle system

## SHRINK TUNNEL

TT-40



High Speed Shrink Tunnel



TT-60







## STRAPPING MACHINES

**Semi Automatic Strapping Machines**



High engineering standard and simple design

Easy operation, simple maintenance  
Hinged stainless steel top plate  
Mechanical outside tension control  
Rigid castors with brake  
Energy efficient, motor only runs as needed  
Reliable P.C. Board control  
Affordable for every budget  
Offer maximum total value among competing brands  
Proven quality

**Technical Data**

Strap Width 12mm (other width on request)  
Strap tension 45kg  
Sealing method Heat  
Net weight 100kg  
Rated Voltage 220V 50/60Hz 1PH

**Automatic PP Strapping Machine**



Easy operation, simple maintenance  
Mechanical outside tension control  
Tension can be easily set with a dial  
Affordable for every budget

Options:  
Stainless steel frame SUS 304 (TP-6000S)  
Short feed sensor

**Technical Data**

Strap Width 12mm (Other width on request)  
Strap tension 10kg-70kg  
Speed 27 straps/minute (60Hz)  
Table Height 810mm  
Net weight 220kg  
Rated Voltage 220V 50/60Hz 1PH

**Automatic Strapping Machine Belt Driven**



Multiple straps for single, double and continuous strapping or transit mode  
UP and down stream interlock with complete plug connection

Options:  
Siemens PLC control  
Variable conveyor speed: 18 meter/minute to 42 meter/minute  
Roller driven table/Belt driven table  
Stainless steel frame SUS 304(TP-601S)

**Technical Data**

Strap Width 12mm, (Other width on request)  
Strap tension /kg ~/kg  
Conveyor Speed 30 meter/minute  
Table Height 820mm  
Net weight 100kg  
Rated Voltage 220V 50/60Hz 1PH

## STRAPPING TOOLS

### STRAPPING TOOLS FOR STEEL & PLASTIC STRAP MANUAL & BATTERY & PNEUMATIC

**IMA 13/19**



**STPM 19/32**



**INCA HT 13/19**



**STSR 3 BUTTONS 19/32**



**POLI HT 25**



**POLI WELDING 10/19**



**IMPA 13**



**IMPA 16**



**GT ONE - Automatic Battery Strapping Tool**



**POWER HP 16/19**



**SMART LXT**



PO Box 122837, Saif Zone, Sharjah, Tel: 06 5571707

E-mail: [marketing@totalpackuae.com](mailto:marketing@totalpackuae.com), [info@totalpackuae.com](mailto:info@totalpackuae.com), [www.totalpackgulf.com](http://www.totalpackgulf.com), [www.totalpackuae.com](http://www.totalpackuae.com)



## VERTICAL AND HORIZONTAL SEALER MACHINES

Vertical Band Sealer



Thick and solid body for semi-permanent life  
Easy operating and replacing for parts  
Emergency stop button against danger

**Technical Details**

Sealing Speed : 14M/minute  
Power Consumption: 1.020W

Horizontal Band Sealer



Sealing width: 6, 10, 16 mm  
Sealing temperature : U-38U  
Cooling Type : Forced air cooling (1bar)  
Power Supply: 230V, AC, 50Hz, 1ph,  
Electric Height: Adjusting device (Standard)

## STANDARD CONVEYOR

Extendable Idle  
Conveyors



Idle Rollers  
Conveyors



Belt Conveyors



Curves



Diverter



## CHECK WEIGHER AND METAL DETECTOR

Check Weigher



Metal Detector



## SCISSOR LIFT



Scissor Lift Tables are an extensive range of capacities, features and options to provide the factory and warehouse with lifting and work positioning. Safetech scissor lifts/scissor table range are durable and includes many safety features are exclusive to safetech.

## CONSUMABLES

**PET/ PP STRAP**



**STRETCH FILM**



**BOPP TAPE**



**CORRUGATED BOXES**



**EDGE GUARD**



**SHRINK FILM**



# Complete Turn-key solutions in Packaging Catering to :

- High Speed Filling Machines for Liquids, Powders & Granules
- Automatic Capping Machines
- Induction Sealing Machines
- Horizontal, Vertical Form fill Sealing Machines
- Linear, Rotary Labelling Machines
- High Speed Shrink Wrappers and Tunnels
- Customised Shrink Sleeve Machine
- X-ray Scanner, Metal Detector & Check Weigher
- Fully Automatic Strapping Machines for Steel/ PP/ PFT
- Online Pallet Stretch Wrapping Machines
- Bundler / Sleeve Wrapping Machines
- Robotic Palletizers System
- Packaging Automations and Warehouse Automations
- And much more .....



## Total Packaging Solutions (FZE)

PO Box 122837, Saif Zone, Sharjah, Tel: 06 5571707

E-mail: [marketing@totalpackuae.com](mailto:marketing@totalpackuae.com), [info@totalpackuae.com](mailto:info@totalpackuae.com), [www.totalpackgulf.com](http://www.totalpackgulf.com), [www.totalpackuae.com](http://www.totalpackuae.com)