

PROPERTIES

🔼 High wear resistance

- nas no taste
- Chemically inert to various materials
- 🔼 Transparent

SMS-1 IN INDUSTRY

SMS-1 is perfect for lubricating various food industry units operating under low loads and low speeds - these are bearings and sliding guides, cam mechanisms, chain drives, and other metal-to-metal, metal-to-plastic friction pairs. For example, in rollers and heads of capping machines, guides and sliding bearings of conveyors

- or smell
- Protects from moisture and dust
- Food tolerance



in chain transmissions of packaging equipment, in production lines of semi-finished products, in labeling machines, sorting working surfaces of rubbing parts of equipment, for the treatment and preservation of

USEFUL PROPERTIES

Chemically inert to various materials, including metal, wood, nylon, plastic, rubber, leather, fabrics. Has dielectric properties. Used to prevent corrosion and oxidation, as well as a water-repellent, dust-proof agent. Long-term anti-wear properties. Does not contain solvents.


TWO TYPES OF ACTIVATORS

1.Standard activator with spraying through a short pipe.

2.Activator-transformer with two types of spraying in any position (360°)

SUPER VERSATILITY

It is used as a release agent and molding oil, as well as for lubrication and protection against corrosion and oxidation of working surfaces, machine parts (devices) and instruments in pharmacology, cosmetology, food, textile, electronics and other industries, both in case of possible accidental and direct inevitable contact with food products.



Contact us:



+7(3452) 26-28-96



543-010



https://aerosol72.ru

Russia, Tyumen, st, Herzen 53, office 616 Send proposals to the e-mail: ta72-mr@mail.ru





SMS-1

FOOD-GRADE UNIVERSAL LUBRICANT

operating temperatures from -10 to +160 t









