



شوگا

شرکت شیشه و گاز (سهامی عام)

About Us

Shishe va gaz industrial group as a founder of industrial glass production in the country in 1960 has started its activities with glass bottles and jars production and by utilizing modern machinery and equipment and technology and has provided the market with varieties of high quality products .

The mission of glass and gas industries group is the fulfillment of the customers wishes, production of pure and high-quality products and creating an appropriate atmosphere for our customer's access to high quality products in the world in terms of technology and product design. In this regard, it delivers its products in ultralight NNPB technology .





شیشه و گاز

SHISHE VA GAZ

NAME:

SHOKA 200 J.T.W1

PRODUCT DATA

Netral Capacity	215-6 ml
Filling Capacity	200 ml
Weight	150-7 gr
Color	FLAT
WMS	VS 200140
Labeling	NO
printing	NO

TECHNICAL DATA

Machine Standard:

HNPB 4-1/4"

Height (mm)	18111-2
Diameter (mm)	55.1-1.2
NO AND COATING	YES
Cold and Sealing	YES
Carbonated Bevs	-
Thermotack Max (C)	50
Pressure Max(bar)	50

Body Thickness (mm)

1.2

Vertical Deformability (mm)

4.7

PACKING DATA

Pallet Size(cm)

120x100x215

No. of Layers	12
No. of PCs in a Layer	452
Layer Weight(kg)	66
No. of PCs in a Pallet	5424
Pallet Weight(kg)	805
Area Efficiency(m ²)	1.2



Pallet Type:

Wooden STD

DATE:

1401/09/12

DATA Ref: GFI & INSD 1409



Revised Date: 05/07/2020

Revised Ref: 1

Document's Code: GFI-806





NAME: SHOGA.2001.T.W2

PROJECT	DATA
---------	------

Bitfield Capacity	216x7mm
Fiber Capacity	200 cm
Weight	155x7g
Color/CLR	BL/IR
RFID	1024/144
Labeling	NO
Printing	YES

TECHNICAL DATA

Refining status: (4/20/0)

Height (mm)	150	1.2
Standard (mm)	50.0	1.2
MCOT end coating	FAI	
card end coating	FAI	
carbonated layer		
Thermoplastic Resin		
polyester (PAI) part		
Water permeability (cm ³ /m ² /day)		1.2
Water vapor density (mmHg)		3.4

HAIRY	NOTA
-------	------


Total sales (m)
1997 800217

NR. of Layers	12
NR. OF PGs in a Layer	500
Layer Weight PGs	78
NR. OF PGs in a Pool	600
convol. Weight PGs	878
Area Efficiency (%)	
Panel Type	Monocryst. Si


姓名	学号	成绩
----	----	----

DATA 14010201

1995-1996



60 STIPPLES ON SEATING SURFACE
8 LINES x 1.2 HRC x 0.8 DTP



(23*22)
506 PCS/Layer

1270081—801/2 POLYPROPYLENE

Page No. Date: 2023/02/28

Model size: 1000

Model size: 1000

EXCELLENCE: 100% 12/1999





شیشه و گاز

SHISHE YA GAZ

PRODUCT DATA

NAME:

SHOCA.800.ITWS

Netral Capacity	21500 L
Filling Capacity	20000 L
Weight	1820 G
Color	FLAT
Size	100 100 140
Labeling	NO
Printing	NO

TECHNICAL DATA

Machine Brand:

NNPB 5*

Length	100 ± 0.2
Diameter	45 ± 0.2
NO AND COATING	YES
Cold and Sealing	YES
Carbonated Bevs	-
Thermotack Max (C)	27-30
Pressure (bar)	-
Actual Loading Box (kg)	1.2
Per Unit Weight (kg)	10.000

PACKING DATA

Pallet Size (cm)


120x100x220

No. of Layers	10
No. of PCS in a Layer	572
Layer Weight (kg)	22
No. of PCS in a Pallet	5720
Pallet Weight (kg)	936
Area Efficiency (m ²)	1.2
Pallet Type	WOODEN

DATE:

1401/2/24

DATA Ref: GP1 & INSD 1409



Revise Date: 02/07/2020

Revise No: 1

Drawn By: G. G. G. G.





SHISHE VA GAZ

PRODUCT DATA

NAME: _____

SHKLA, SOD, IT, W3

Briefing capacity	21500 mL
Filling capacity	20000 mL
Weight	1035 gr
Ink color	Black
Wash	10-20-10-100
Labeling	NO
printing	NO

TECHNICAL DATA

Machine Name:

NMPB 5°

Length	100 ± 0.3
Diameter	45 ± 0.3
Hot end coating	Yes
Cold end coating	Yes
Carbonated steel	-
Thermastack Pak (°C)	27 MP
Pressure (MPa/bar)	-
Total loading (kN)	1.5
Vertical displacement (mm)	10,000

PACKING DATA

Pallet Size(cm)	
-----------------	--


120x100x220

No. of Layers	10
No. of PCN in a Layer	592
Layer Weighting	92
No. of PCN in a Packet	6720
Packet Weighting	936
Area Efficiency(m^{-2})	1.2
Packet Type:	VOODUM

DATE: _____

1401/2/24

DATA Ref: UFI & INSD 1409



Revision Date: 05/07/2025

Finalist: Scott T.

Document's code: GF1806





design@shoga.net

NAME: _____

AVSAR 200

PRODUCT DATA

Brinful Capacity	215±7 ml
Filling Capacity	200 ml
Weight	150±7 gr
Colour	Flint
RING	MCA2
Labelling	YES
printing	NO

TECHNICAL DATA

Machine Status: **NNPB 5***

Height (mm)	136±1.5
Diameter (mm)	6±1.2
Hot end Coating	YES
Cold end Coating	YES
Carbonated level	NO
Thermoshock Max (c)	1
Pressur Max(bar)	20

Body Thickness min (mm)	1.3
Vertical Durability MAX(mm)	2.9

PACKING DATA

Pallet Size(cm)	
-----------------	--

120x100x223



Nr. of Layers	12
Nr. of PCs in a Layer	298
Layer Weight(kg)	50
Nr. of PCs in a Pallet	4172
Pallet Weight(kg)	698
Area Efficiency(m^2)	1.2

Pallet Type:	Customer pallet
--------------	-----------------

DATE:

1401/8/30

DATA Ref: GPI & INSO 1409



Review Date: 05/07/2020

Review Num: 1

Document's code: QF1806

Signature-Designer:

QC:

Customers:

Manager:





گروه صنایع شیشه و گاز

**SHISHE VA GAZ
INDUSTRIAL GROUP**

design@shoga.net

NAME: FURUTE 200

PRODCT DATA

Brimful Capacity	215 ± 5 ml
Filling Capacity	200 cc
Weight	185 ± 5 gm
COLOUR	GREEN
RING	26-650
Labelling	NO
Printing	NO

TECHNICAL DATA

Maching status:	B&B (4 1/4)
Height (mm)	172.7 ± 1.2
Diameter (mm)	55.5 ± 1.2
HOT end coating	YES
cold end coating	YES
carbonated Level	
Thermo shock MAX(c)	
pressur MAX (bar)	
BODY THICKNESS MIN (mm)	1.3
vertical Durability MAX(mm)	4.4

PACKING DATA

Pallet size (cm)	120*100*211
NR , of Layers	11
NR,OF PCs in a Layer	420
Layer Weight (Kg)	78
NR,OF PCs in a Pallet	4620
pallet Weight (Kg)	888
Area Efficiency (m2)	



Pallet Type: Wooden STD

code

NR: MB — 162

DATA: 1402/05/14

J.B.B.R - S



(21x20)
420PCS/Layer

11x420=4620 PCS/Pallet



Review Date : 2020/07/05

Review Num : 1

DOCUMENT CODE: QF 1806

Signature - Designer :

QC :

Customers :

Manager :





گروه صنایع شیشه و گاز

SHISHE VA GAZ
INDUSTRIAL GROUP
design@shoga.net

NAME:
Shabi 200

PRODUCT DATA

Brinful Capacity	210±7 ML
Filling Capacity	200 ML
Weight	150±5 GR
Colour	Flint
RING	600
Labelling	NO
printing	NO

TECHNICAL DATA

Machine Status:	NNPB (5")
Height (mm)	180±1.5
Diameter (mm)	Ø53±1.5
Hot end Coating	YES
Cold end Coating	YES
Carbonated level	-
Thermosock Max (c)	-
Pressur Max(bar)	18
Body Thickness min (mm)	1.3
Vertical Durability MAX(mm)	4.7

PACKING DATA

Pallet Size(cm)
120x100x232

Nr. of Layers	12
Nr. of PCs in a Layer	452
Layer Weight(kg)	76
Nr. of PCs in a Pallet	5424
Pallet Weight(kg)	921
Area Efficiency(m ²)	1.2


Pallet Type:
Wooden STD

CODE NR:


MB - - - 162

DATE:
1397/02/29

DATA Ref GPI & INSO 1409



LAYOUT OF BOTTLES IN A PALLET



Nr. of layers in a pallet : 12
Nr. of bottles in a pallet : 5424
Pallet weight (kg) : 921
Pallet Type : Wooden Euro STD



Signature-Designer:

QC:

Customers:

Manager:



گروه صنایع شیشه و گاز

SHISHE VA GAZ INDUSTRIAL GROUP

design@shoga.net

NAME:

Caravanchi 200

PRODCT DATA

Brimful Capacity	212 ml
Filling Capacity	200 cc
Weight	180 gr
COLOUR	Green
RING	26-055
Labling	NO
Printing	NO

TECHNICAL DATA

Maching status:

B&B 4-14"

Height (mm)	176.4 ± 1.3
Diameter (mm)	56 ± 1.2
HOT end coating	NO
cold end coating	YES
carbonated Level	
Thermo shock MAX(c)	
pressur MAX (bar)	
BODY THICKNESS MIN (mm)	1.3
vertical Durability MAX(mm)	3.0

PACKING DATA

Pallet size (cm)	120*100*217
NR. of Layers	10
NR.OF PCs in a Layer	410
Layer Weight (Kg)	74
NR.OF PCs in a Pallet	4100
pallet Weight (Kg)	770
Area Efficiency (m2)	

Pallet Type: Wooden STD

code

NR:

MB --- 162

DATA:



1401/10/6

J.F.B.R - S

Review Date: 2020/07/05

Review Num: 1

DOCUMENT CODE: QF 1806



Signature - Designer :

QC :

Customers :

Manager :





گروه صنایع شیشه و گاز

SHISHE VA GAZ
INDUSTRIAL GROUP

design@shoga.net

NAME:
Bottel 200

PRODUCT DATA

Briefful Capacity	21086 mL
Filling Capacity	200 mL
Weight	185±8 gr
Colour	green
RING	GPI 5407
Labelling	
printing	

TECHNICAL DATA

Machine Status:

BB

Height (mm)	155.3±1.2
Diameter (mm)	62±1.2
Hot end Coating	YES
Cold end Coating	YES
Carbonated level	
Thermoshock Max (c)	
Pressur Max(bar)	
Body Thickness min (mm)	1.3
Vertical Durability MAX(mm)	3.3

PACKING DATA

Pallet Size(cm)

100x120x240

Nr.of Layers	14
Nr.of PCs in a Layer	333
Layer Weight(kg)	64
Nr.of PCs in a Pallet	4662
Pallet Weight(kg)	892
Area Efficiency(m ²)	1.2

Pallet Type: PE




Designer:

M.Dalvand

DATE:

1403/02/31

DATA Ref: GPI & INSO 1409



Review Date: 05/07/2020

Review Num: 1

Document's code: QF1806

Signature-Designer:

QC:

Customers:

Manager:





شیشه و گاز

SHISHE VA GAZ

NAME:
SHOCA 200 J.S.W2

PRODUCT DATA

Bottle Capacity (mL)	210: 4
Filling Capacity (mL)	200: 4
Weight (kg)	150: 10
Colour	Flint
Ring	TO 20 MICAS
Labeling	(N)
Printing	(N)

TECHNICAL DATA

Machine Status:	NVPB 5"
Height (mm)	145 ± 5
Diameter (mm)	85.4 ± 5
Hot and Cooling	Yes
Cold and Cooling	Yes
Carbonated level	+++
Thermoshock Max (°C)	+++
Pressure Max (bar)	1.6
Body Thickness MIN (mm)	1.3
Vertical Durability MAX (mm)	3



PACKING DATA

Pallet Size (cm):	100*120*200
Nr. of Layers	12
Nr. of PCs in a Layer	425
Layer Weight (Kg)	8.4
Nr. of PCs in a Pallet	5100
Pallet Weight (Kg)	780
Area Efficiency (m²)	1.2
Pallet Type:	Wooden STD

CODE NR:

DATE:
1401/7/27

DATA Ref : GPI & INSO 1409



Revised Date: 02/07/2020

Revised Ref: 1

Document's Code: GPI-006





شیشه و گاز

SHISHE VA GAZ

NAME:
SHOCA.200.C.r.W1

PRODUCT DATA

Net Weight	2100 g
Filling Capacity	200 ml
Weight	1500 g
Color	White
Size	200 x 100
Labeling	Yes
Printing	No

TECHNICAL DATA

Machine Model:	NMPB (5")
Height (mm)	100 ± 1
Diameter (mm)	32.4 ± 0.2
Net weight (kg)	1.5
Color and Coating	Yes
Carbocation Index	1
Thermocouple Max (°C)	20
Printer Resolution	20
Body Thickness (mm)	1.0
Vertical Resiliency (mm)	0.8



PACKING DATA

Pallet Size(cm)
120x100x235

No. of Layers	12
No. of PCs in a Layer	452
Layer Height(kg)	76
No. of PCs in a Pallet	5424
Pallet Weight(kg)	545
Area Efficiency(%)	1.2
Pallet Type:	Wooden STD

CODE
NR: MB---162
DATE:
1400/02/22

DATA Ref: GPI & INGO
1600



Revised Date: 05/07/2022 Revised No: 1 Document Code: GPI1600





شیشه و گاز

SHISHE VA GAZ

NAME:
SHOGA.200 C.c.W2

PRODUCT DATA

Net Weight	210x2 mL
Filling Capacity	200 g
Weight	180x2 gr
Color	Black
Size	10 to 20 of 30+
Labeling	NO
Printing	NO

TECHNICAL DATA

Machine Model:	NMPB 5*
Weight (kg)	187x1.3
Diameter (mm)	32.3x1.1
Hot seal coating	YES
Cold seal coating	YES
Carbocation Inert	-
Thermocouple Max (°C)	-
Pressure Max(bar)	-
Body Thickness (mm)	1.0
Vertical Separability (mm)	2.0



PACKING DATA

Pallet Size(cm)
120x100x230

No. of Layers	11
No. of PCs in a Layer	400
Layer Weight(kg)	76
No. of PCs in a Pallet	4400
Pallet Weight(kg)	500
Area Efficiency(%)	1.2
Pallet Type:	Wooden STD

DATE:

DATA Ref: GPI & INSO 1409



Revised Date: 05/07/2023

Revised No: 1

Document & Code: WF1801





شیشه و گاز

SHISHE VA GAZ

NAME:

SHOGA 200.C & W3

PRODUCT DATA

Briefed Capacity	200ml ml
Filling Capacity	200
Height	150±8 gr
Colour	Colorless
Size	OPT. 20-400
Loading	NO
Printing	NO

TECHNICAL DATA

Machine Station:

NNPB 5"

Height (mm)	175±1.3
Diameter (mm)	50.0±1.3
Hot end Casing	YES
Cold end Casing	YES
Disturbance Level	-
Throughput Rate (m)	-
Printer Resolution	20
Body Thickness (mm)	1.3
Verticality (mm)	0.3

PACKING DATA

Pallet Size (cm)

120x100x230

No. of Layers	12
No. of PCs in a Layer	452
Layer Weight (kg)	69
No. of PCs in a Pallet	5424
Pallet Weight (kg)	845
Area Efficiency (m ²)	1.2
Pallet Type	Wooden STD



CODE

NR: MB135

DATE:

1399/08/29

DATA Ref: GPI & INSO 1409



Revision Date: 02/07/2022

Revision No: 1

Document's code: GP1057





شیشه و گاز

SHISHEVA GAZ

NAME:
SHOKA 2000 L.W4

PRODUCT DATA

Netral Capacity	2000 L
Filling Speedy	300
Weight	1500 g
Design	Flat
ENE	CON 0084 40
Labeling	YES
Printing	NO

TECHNICAL DATA

Machine Statist	NNPS 5*
Height (mm)	175 ± 3
Diameter (mm)	54 ± 1.2
Net and Footing	YES
Coat and Coating	YES
Carbureted Inves	-
Thermocouple Res (r)	-
Pressure Max(bar)	20
Body thickness (mm)	1.0
Verticality (mm)	0.4



PACKING DATA

Pallet Size(cm)
120x100x226

Fr. of Layers	12
Fr. of PCs in a Layer	441
Layer Weight(kg)	66
Fr. of PCs in a Pallet	5292
Pallet Weight(kg)	805
Area Efficiency(%)	1.2
Pallet Type:	Wooden STD

CODE
NR: MB135
DATE:
1400/01/14

DATA Ref: GP1 & INSD 1409



Revision Date: 30/07/2020

Revision Num: 1

Engineering Code: GP1801





شیشه و گاز

SHISHE VA GAZ

NAME:
SHOCA.200.C 7c.W1

PRODUCT DATA

Brink Capacity (ml)	220±5
Filling Capacity (ml)	200±5
Weight (g)	190±8
Color	Clear
Ring	BF1 5407
Labeling	No
Finishing	No

TECHNICAL DATA

Machine Status:	B & B 4.1/4'
Height (mm)	186.12
Diameter (mm)	52.2±1.2
Hot and Coating	Yes
Cold and Coating	Yes
Carbonated Level	***
Thermostatic Max (°C)	***
Pressure Rise (bar)	20
Body Thickness MIN (mm)	1.3
Vertical Durability MSS (mm)	3.0

PACKING DATA

Pallet Size (cm):
120*100*226 cm



Nr. of Layers	11
Nr. of PCs in a Layer	462
Layer Weight (kg)	89
Nr. of PCs in a Pallet	5082
Pallet Weight (kg)	885
Area Efficiency (m²)	1.2

Pallet Type:
Wooden STD

CODE NR:

DATE: 1400-09-01
2021-11-22

DATA Ref: GPI & INSO 1409



Review Date: 85-07-2020

Review Ref: 1

Document's Code: GP1806





شیشه و گاز

SHISHE VA GAZ

NAME:
SHOCA.200.C 7c.W1

PRODUCT DATA

Brinkal Capacity (mL)	220±5
Filling Capacity (mL)	200±5
Weight (g)	190±8
Color	Clear
Ring	BF15407
Labeling	No
Finishing	No

TECHNICAL DATA

Machine Status:	B & B 4.1/4"
Height (mm)	186.12
Diameter (mm)	52.2±1.2
Hot and Coating	Yes
Cold and Coating	Yes
Carbonated Limit	***
Thermostatic Max (°C)	***
Pressure Rise (bar)	20
Body Thickness MIN (mm)	1.3
Vertical Durability MSS (mm)	3.0

PACKING DATA

Pallet Size (cm):
120*100*226 cm



Nr. of Layers	11
Nr. of PCs in a Layer	462
Layer Weight (Kg)	89
Nr. of PCs in a Pallet	5082
Pallet Weight (Kg)	885
Area Efficiency (m²)	1.2

Pallet Type:
Wooden STD

CODE NR:

DATE: 1400-09-01
2021-11-22

DATA Ref : GPI & INSO 1409



Review Date: 25-07-2020

Review Ref: 1

Document's Code: GP1806



F



گروه شیشه و گاز

SHISHE VA GAZ
INDUSTRIAL GROUP
design@shoga.net

NAME:

Al-Rafeed 200cc

PRODUCT DATA

Brimful Capacity	215 ± 7ml
Filling Capacity	200 cc
Weight	175 ± 10gr
COLOUR	Flm
RING	5407
Labling	NO
Printing	NO

TECHNICAL DATA

Maching status:

B&B (4 uJ)*

Height (mm)	154
Diameter (mm)	62
HOT end coating	YES
cold end coating	YES
carbonated Level	
Thermo-shock MAX(c)	50
pressur MAX (bar)	18
BODY THICKNESS MIN (mm)	1.2
vertical Durability MAX(mm)	3.2

PACKING DATA

Pallet size (cm)

120*100*222

NR. of Layers	13
NR.OF PCs in a Layer	361
Layer Weight (Kg)	63
NR.OF PCs in a Pallet	4693
pallet Weight (Kg)	850
Area Efficiency (m2)	

Pallet Type:

Wooden STD

code



NR:

MB --- 182

DATA:

1402.06.22

J.F.B.R-S



Review Date: 2023/06/25

Review Num: 1

DOCUMENT CODE: QF 1806

Signature - Designer :

QC :

Customers :

Manager :





گروه صنایع شیشه و گاز

SHISHE VA GAZ
INDUSTRIAL GROUP

design@shoga.net

NAME:

AL EBTEKAR

PRODUCT DATA

Brinful Capacity	217±8 mL
Filling Capacity	200 mL
Weight	145±8 gr
Colour	flint
RING	T038FD14E
Labelling	-
printing	-

TECHNICAL DATA

Machine Status:

NNPB

Height (mm)	48.45±1.2
Diameter (mm)	53.9±1.2
Hot end Coating	YES
Cold end Coating	YES
Carbonated level	-
Thermoshock Max (°C)	50
Pressor Max(bar)	-

Body Thickness min (mm)

1.3

Vertical Durability MAX(mm)

3.3

PACKING DATA

Pallet Size(cm)

100x120x215

Nr. of Layers	13
Nr. of PCs in a Layer	452
Layer Weight(kg)	68
Nr. of PCs in a Pallet	5876
Pallet Weight(kg)	882
Area Efficiency(m ²)	1.2

Pallet Type:

PE


Designer:

M. Dalvand

DATE:

1403/02/29


DATA Ref: GPI & INSO 1409



CAVITY NO.



85 CRESCENT STIPPLES ON BEARING SURFACE
4 LONG x 1.3 WIDE x 0.4 DEEP



Review Date: 05/07/2020

Review Num: 1

Document's code: QF1806

Signature-Designer:

QC:

Customers:

Manager:





شیشه و گاز

SHISHE VA GAZ

NAME:
SHOGA 200 C To W2

PRODUCT DATA

Drum Capacity	21200 ml
Filling Capacity	200 ml
Weight	18000 gr
Color	Flint
Size	Ø 120 x 100
Labeling	YES
printing	NO

TECHNICAL DATA

Machine Status:	NPB (5")
Height (mm)	1650 ± 3
Diameter (mm)	Ø 120 ± 1
Hot end Sealing	YES
Cold end Sealing	YES
Carbonated Invol	-
Thermoblock Max (°C)	-
Pressure Bar(bar)	0.2
Body Thickness dia (mm)	1.2
Vertical Durability NMM(mm)	4.2

PACKING DATA

Pallet Size(cm)
120x100x230



Nr. of Layers	11
Nr. of PCs in a Layer	400
Layer Height(kg)	70
Nr. of PCs in a Pallet	4400
Pallet Height(kg)	300
Area Efficiency(m ²)	1.2

Pallet Type:
Wooden STD

DATE:

1401/02/06

DATA Ref: GPI & INSD 1409



Revise Date: 05/07/2020

Revise Num: 1

Discrepancy code: 021006





شیشه و گاز
SHISHE VA GAZ

NAME:
SHOCA.200.C.TE.W4

PRODUCT DATA

Brutal Capacity	215ml ML
Filling Capacity	205 ML
Weight	178±7 GR
Color	FLINT
SKU	545
Labeling	yes
printing	NO

TECHNICAL DATA

Machine Station:

NPB

Height (mm)	155.1±3
Diameter (mm)	50.0±0.1±0.2
Net and Grafting	YES
Cold and Sealing	YES
Carbonated Invol	-
Thermoshock Max (°C)	-
Printer Machine	20
Body THERMAL SHOCK (°C)	±0.2
VERTICAL DURABILITY 900/900	4.7

PACKING DATA

Pallet Size(cm)

120x100x225

Nr. of Layers	11
Nr. of PCs in a Layer	402
Layer Weighting	75
Nr. of PCs in a Pallet	5082
Pallet Weighting	895
Area Efficiency(m ²)	1.2
Pallet Type:	Wooden STD



CODE NR:

MB---170

DATE: 2018/jun/20
1397/04/1

Signature-Designer:

DATA R&E GIN & INSD 1409



QC:

Customer:

Manager:





گروه صنایع شیشه و گاز

**SHISHE VA GAZ
INDUSTRIAL GROUP**

design@shoga.net

NAME:

SINALCO 200

PRODUCT DATA

Brief Capacity	212±6 ml
Filling Capacity	200 ml
Weight	165±7 gr
Colour	Flint
RINGS	TO 26-12
Labelling	YES
printing	NO

TECHNICAL DATA

Machine Status:

NNPB (5")

Height (mm)	187±1.3
Diameter (mm)	51.1 ±1.1
Hot end Coating	YES
Cold end Coating	YES
Carbonated level	-
Thermoshock Max (°C)	-
Pressure Max (bar)	NO

Body Thickness min (mm)

1.3

Vertical Durability MAX (mm)

4.2

PACKING DATA

Pallet Size (cm)

120x100x230

Nr. of Layers	11
Nr. of PCs in a Layer	495
Layer Weight (kg)	79
Nr. of PCs in a Pallet	5445
Pallet Weight (kg)	900
Area Efficiency (m ²)	1.2

Pallet Type:

Wooden STD



CODE

NR: EN --- 108

DATE:

1400/09/14

DATA Ref: GPI & INSO 1409



Review Date: 05/07/2020

Review Num: 1

Document's code: QP1806

Signature-Designer:

QC:

Customers:

Manager:





گروه صنایع شیشه و گاز

SHISHE VA GAZ

INDUSTRIAL GROUP

design@shoga.net

NAME:

Shabi 200 CC

PRODUCT DATA

Brimful Capacity (mL)	210±7
Filling Capacity (mL)	200
Weight (Kg)	180±7
Colour	Flint
Ring	GPI 26 - 650
Labelling	Yes
Printing	No

TECHNICAL DATA

Machine Status:

SanJiang 4-1/4"

Height (mm)	193±1.3
Diameter (mm)	51.5±1.1
Hot end Coating	No
Cold end Coating	No
Carbonated level	---
Thermoshock Max (c)	---
Pressur Max (bar)	18
Body Thickness MIN (mm)	
Vertical Durability MAX (mm)	

PACKING DATA

Pallet Size (cm):


Nr. of Layers	
Nr. of PCs in a Layer	
Layer Weight (Kg)	
Nr. of PCs in a Pallet	
Pallet Weight (Kg)	
Area Efficiency (m ²)	
Pallet Type:	Wooden STD

CODE NR:

DATE:

25-10-2021

DATA Ref : GPI & INSO 1409



Review Date: 05/07/2020

Review Num: 1

Document's code: QF1806

Designer Sign:

QC:

Customers:

Manager:






NAME: SHOCKA ZOO J.S.WI

Blister Capacity (mL)	210±0
Filling Capacity (mL)	200±7
Weight (g)	180±7
Colour	Flint
Form	TO 28 NCAS
Labelling	No
Printing	No

Machine Status: NNPB 5"	
Height (mm)	193.2±1.3
Diameter (mm)	54.2±1.1
Hot end Coating	Yes
Cold end Coating	Yes
Carbonized level	0.0
Thermoschuck Max (°C)	***
Pressure Max (bar)	14
Body Thickness MIN (mm)	1.3
Vertical Disassembly MAX (mm)	4

Pallet Size (cm): 100" x 120" x 215	
No. of Layers	10
No. of PCs in a Layer	450
Layer Weight (kg)	75
No. of PCs in a Pallet	4500
Pallet Weight (kg)	780
Area Efficiency (m²)	1.2
Pallet Type: Wooden STD	

DATE: 1401/4/11



Document ID: C000124





گروه صنایع شیشه و گاز

SHISHE VA GAZ
INDUSTRIAL GROUP
design@shogaz.net

NAME:
Mishen 200

PRODUCT DATA

Brinful Capacity	215±5 ML
Filling Capacity	200 ML
Weight	175±5 GR
Colour	Flint
RING	655
Labelling	NO
printing	NO

TECHNICAL DATA



Machine Status:	NNPB (5")
Height (mm)	186±1.5
Diameter (mm)	Φ54±0.8
Hot end Coating	YES
Cold end Coating	YES
Carbonated level	-
Thermoshock Max (°C)	-
Pressure Max(bar)	20
Body Thickness min (mm)	1.3
Vertical Durability MAX(mm)	4.7

PACKING DATA

Pallet Size(cm)	120x100x226
Nr. of Layers	11
Nr. of PCs in a Layer	452
Layer Weight(kg)	79
Nr. of PCs in a Pallet	4972
Pallet Weight(kg)	875
Area Efficiency(m ²)	1.2
Pallet Type:	Wooden STD
CODE NR:	MB - - 132
DATE:	1396/09/20

Signature-Designer:

DATA Ref: GPI & INSO 1409



QC:

Customers:

Manager:





گروه صنایع شیشه و گاز

SHISHE VA GAZ

INDUSTRIAL GROUP

design@shoga.net

NAME:

bottle 200 CC

PRODUCT DATA

Brimful Capacity (mL)	214±7
Filling Capacity (mL)	200
Weight (Kg)	190±9
Colour	GREEN
Ring	GPI 26 - 600
Labelling	Yes
Printing	No

TECHNICAL DATA

Machine Status:

B&B 4 1/4"

Hight (mm)	193 ±1.4
Diameter (mm)	52.8±1.1
Hot end Coating	yes
Cold end Coating	yes
Carbonated level	
Thermoshock Max (c)	
Pressur Max (bar)	20
Body Thickness MIN (mm)	1.3
Vertical Durability MAX (mm)	4

PACKING DATA

Pallet Size (cm):

100 x 120 x 215

Nr. of Layers	10
Nr. of PCs in a Layer	452
Layer Weight (Kg)	89
Nr. of PCs in a Pallet	4520
Pallet Weight (Kg)	889
Area Efficiency (m²)	

Pallet Type:



Wooden STD

CODE NR:

DATE:

1403/02/29

DATA Ref : GPI & INSO 1409



J. F. B. R - Q

Review Date: 20.08.2023

Review Num: 1

Document's code: QF1806

Designer Sign:

QC:

Customers:

Manager:



گروه صنعتی شیشه و گاز

SHISHE VA GAZ INDUSTRIAL GROUP

design@shoga.net

NAME:
(REND)ZEN 300cc

PRODUCT DATA

Bottle Capacity	320x10 ml
Filling Capacity	300 cc
Weight	195 ± 10 gr
COLOUR	Clear
RING	FD 146
Labelling	NO
Printing	NO

TECHNICAL DATA

Maching status:
NNPS 5"

Height (mm)	192 ± 1.3mm
Diameter (mm)	62 ± 1.5mm
HOT end coating	YES
cold end coating	YES
carbonated Level	
Thermo shock MAX(z)	
pressor MAX (bar)	
BODY THICKNESS MIN (mm)	1.3
vertical Durability MAX(mm)	4.1

PACKING DATA

Pallet size (cm)	120*100*213
NR. of Layers	10
NR,OF PCS in a Layer	342
Layer Weight (Kg)	67
NR,OF PCS in a Pallet	3420
pallet Weight (Kg)	700
Area Efficiency (m2)	



Pallet Type:
Wooden STD

code

NR:
MB — 162

DATA :
1402/02/09

J.F.B.R - F



Review Date : 2020/07/05

Review Num : 1

DOCUMENT CODE: QF.1806

Signature - Designer :

QC :

Customers :

Manager :





شیشه و گاز

SHISHIE VA GAZ

NAME: SHOGA.250 J.c.W

PRODUCT DATA

Netral Capacity	250 ml
Filling Capacity	250 ml
Weight	130-138
Color	Flint
Size	-
Labeling	NO
printing	NO

TECHNICAL DATA

Machine Status:	NNPB (5°)
Height (mm)	144±0.2
Diameter (mm)	64±0.4
Hot seal Greeting	NO
Cold seal Greeting	NO
Carbonated Invol	-
Thermobond Max (°C)	45
Printer Max(Bar)	30
Body Thickness min (mm)	1.3
Vertical Stretchability 500(mm)	0.7

PACKING DATA

Pallet Size(cm)	120x100x225
Nr. of Layers	14
Nr. of PCs in a Layer	224
Layer Weight(kg)	5.4
Nr. of PCs in a Pallet	4536
Pallet Weight(kg)	892
Area Efficiency(%)	1.2
Pallet Type:	Rooster STD

CODE NR

MB - - - 131
DATE: 12/12/2017
1396/09/21


DATA Ref: GPI & DSD 1409



Front view
Scale: 1:2



Bottom view
Scale: 1:2





شیشه و گاز
SHISHE VA GAZ

NAME:
SHOGA.250.C.o.W1

PRODUCT DATA

Brutal Capacity (ml)	253±7
Filling Capacity (ml)	250
Weight (g)	28.6±7
Colour	Flint
Ring	GPI 25-650
Labeling	No
Printing	No

TECHNICAL DATA

Machine Status:

B & B 4 1/4"

Height (mm)	112
Diameter (mm)	59
Hot end Coating	No
Cold end Coating	No
Carbonated level	***
Thermoshock Max (°C)	30
Pressure Max (bar)	20
Body Thickness MIN (mm)	1.3
Vertical Distability MAX (mm)	3.9

PACKING DATA

Pallet Size (cm):


100*120*168

Nr. of Layers	8
Nr. of PCs in a Layer	380
Layer Weight (kg)	76
Nr. of PCs in a Pallet	3040
Pallet Weight (kg)	640
Area Efficiency (m ²)	1.2
Pallet Type:	Wooden STD

CODE NR:

DATE:


DATA Ref : GPI & ISO 1409



CAVITY NO.
STANDARD OF
T. DOCUMENT

GL. PROOF: 21/01/02
S. B. 1000 x 1.2 0202 x 1.2 0202

B*380 = 3040
PCs/Pallet





شیشه و گاز

SHISHE VA GAZ

NAME:

SHOCA.250.C.e.W2

PRODUCT DATA

Drum Capacity	25000 ml
Filling Capacity	250 ml
Weight	310-10 gr
Color	Flint
Size	Ø120 x 180
Labeling	NO
printing	YES

TECHNICAL DATA

Machine Status:

B&B (5,1/2")

Height (mm)	22917 ±3
Diameter (mm)	Ø4 ±1.2
Hot end Coating	NO
Cold end Coating	YES
Carbonated Inlet	
Thermoshock Max (°C)	-
Printer Resolution	20
Body Thickness (mm)	1.2
Vertical Disturbance (mm/min)	

PACKING DATA

Pallet Size(cm)



120x100x185

No. of Layers	8
No. of PCs in a Layer	44
Layer Weighting	13P
No. of PCs in a Pallet	2640
Pallet Weighting	890
Area Efficiency(m ²)	1.3
Pallet Type:	Wooden STD

DATE:

1400/2/4

DATA Ref: GPI & INGO 1400



Revised Date: 25/07/2020

Revised Ref: 1

Document & Code: GPI1806





شیشه و گاز

SHISHE VA GAZ

NAME:

SHOCA.250.C.e.W2

PRODUCT DATA

Drum Capacity	25000 ml
Filling Capacity	250 ml
Weight	310-10 gr
Color	Flint
Size	Ø120 x 300
Labeling	NO
printing	YES

TECHNICAL DATA

Machine Standard:

B&B (5,1/2")

Height (mm)	22917.3
Diameter (mm)	Ø120 x 300
Hot end Sealing	NO
Cold end Sealing	YES
Carbonated Inlet	NO
Thermoshock Max (°C)	NO
Printer Max(bar)	20
Body Thickness (mm)	1.2
Vertical Disturbance (mm/min)	NO

PACKING DATA

Pallet Size(cm)



120x100x165

No. of Layers	8
No. of PCs in a Layer	44
Layer Weighting	13P
No. of PCs in a Pallet	2640
Pallet Weighting	890
Area Efficiency(m ²)	1.3
Pallet Type:	Wooden STD

DATE:

1400/2/4

DATA Ref: GPI & INGO 1400



Revised Date: 25/07/2020

Revised Ref: 1

Document E CODE: GPI806





گروه صنایع شیشه و گاز

SHISHE VA GAZ
INDUSTRIAL GROUP

design@shoga.net

NAME:

ZAM ZAM R

PRODUCT DATA

Brinful Capacity	265ml
Filling Capacity	250 ml
Weight	310g
Colour	GREEN
RING	GP126-600
Labelling	NO
printing	YES

TECHNICAL DATA

Machine Status:

B&B 5-1/2"

Height (mm)	239±1.5
Diameter (mm)	54±1.2
Hot end Coating	NO
Cold end Coating	NO
Carbonated level	=
Thermoshock Max (s)	=
Pressure Max(bar)	20

Body Thickness min (mm)

1.3

Vertical Durability MAX(mm)

4.9

PACKING DATA

Pallet Size(cm)

120x100x160

Nr. of Layers	6
Nr. of PCs in a Layer	452
Layer Weight(kg)	140
Nr. of PCs in a Pallet	2712
Pallet Weight(kg)	870
Area Efficiency(m ²)	1.2

Pallet Type:

Wooden



CODE

NR:

DATE:

1399/11/07

DATA Ref: GPI & INSO 1409



Review Date: 05/07/2020

Review Num: 1

Document's code: GP1806

Signature-Designer:

QC:

Customers:

Manager:





شیشه و گاز

SHISHE YA GAZ

NAME:

SHOGA 250 C.e.W3

PRODUCT DATA

Brutal Capacity	250±2 ml
Filling Capacity	250 ml
Weight	170±8 gr
Color	Flint
MM	OPT-800
Labeling	NCE
printing	No

TECHNICAL DATA

Machine Statoc:

NNPB (5")

Height (mm)	250±1.4
Diameter (mm)	52±0.1-2
Neck and Grafting	YES
Cold and Sealing	YES
Carbonated Level	25mm
Thermoshock Max (°C)	-
Printer Resolution	20
Body Thickness MIN (mm)	1.0
Variability MAX(mm)	4.1

PACKING DATA

Pallet Size(cm)

120x100x223

Nr. of Layers	10
Nr. of PCs in a Layer	452
Layer Weighting	76
Nr. of PCs in a Pallet	4520
Pallet Weighting	820
Area Efficiency(m ²)	1.3
Pallet Type:	Wooden STD



CODE

NR: MB114

DATE:

1400/03/04

DATA Ref: GFI & INSD 1409





شیشه و گاز

SHISHE YA GAZ

NAME:

SHOGA 250 C.e.W3

PRODUCT DATA

Brutal Capacity	250±2 ml
Filling Capacity	250 ml
Weight	170±8 gr
Color	Flint
MM	OPT-800
Labeling	YES
printing	NO

TECHNICAL DATA

Machine Statute:

NNPB (5")

Height (mm)	250±1.4
Diameter (mm)	52±0.1-2
Neck and Grafting	YES
Cold and Sealing	YES
Carbonated Level	25mm
Thermoshock Max (°C)	-
Printer Resolution	20
Body Thickness MIN (mm)	1.0
Variability MAX(mm)	4.1

PACKING DATA

Pallet Size(cm)

120x100x223

Nr. of Layers	10
Nr. of PCs in a Layer	452
Layer Weighting	76
Nr. of PCs in a Pallet	4520
Pallet Weighting	820
Area Efficiency(m ²)	1.3
Pallet Type:	Wooden STD



CODE

NR: MB114

DATE:

1400/03/04

DATA Ref: GFI & INSD 1409





شیشه و گاز

SHISHE VA GAZ

NAME:

SHOCCA250CeW4

PRODUCT DATA

Brutal Capacity	257.00L
Filling Capacity	250 HL
Weight	170.80g
Color	FLINT
Size	GP 2 24-600
Labeling	NO
printing	NO

TECHNICAL DATA

Machine Status:

NNPB 4-1/4*

Height (mm)	2231.4
Diameter (mm)	55.40/2
Hot end Coating	YES
Cold end Coating	VCS
Carbonated level	-
Thermoshock test (s)	-
Printer Machine	3D
Body Thickness (mm)	1.3
Vertical Distortion (mm)	4.3

PACKING DATA

Pallet Size(cm)

120x100x227

Nr. of Layers	10
Nr. of PCS in a Layer	410
Layer Weighting	70
Nr. of PCS in a Pallet	4100
Pallet Weighting	730
Area Efficiency(m ²)	1.2

Pallet Type:



CODE

NR:

DATE:

1401/07/20

DATA Ref: GPE & INSD 1409



Revision Date: 25/07/2020

Revision Ref: 1

Document e-code: GP1807





شیشه و گاز

SHISHE VA GAZ

NAME:

SHOGA 250.C.c.W6

PRODUCT DATA

Brutal Capacity	250cc (ml)
Filling Capacity	250 ml
Weight	200 g/g
Color	Flint
Size	25-630
Labeling	VLS
printing	NO

TECHNICAL DATA

Machine Status:	888 5-1/2"
Height (mm)	250±1.4
Diameter (mm)	50.4±1.2
Hot seal Sealing	NO
Cold seal Sealing	NO
Carbonated level	-
Insulation Max (s)	-
Pressure Bar(bar)	30
Body Thickness min (mm)	1.3
Vertical Durability 1000(mm)	-

PACKING DATA

Pallet Size(cm)
120x100x230



No. of Layers	10
No. of PCs in a Layer	410
Layer Height(kg)	82
No. of PCs in a Pallet	4100
Pallet Height(kg)	850
Area Efficiency(m ²)	1.2

Pallet Type:

Wooden STD

DATE:

DATA Ref: GFI & INSD 1400



Revise Date: 03/07/2020

Revise Num: 1

Document's code: GF1806





شیشه و گاز

SHISHE VA GAZ

PRODUCT DATA

NAME:

SHOGA.250.C.e.W7

Brutal Capacity	250cc/9 FL
Filling Capacity	250cc/9 FL
Weight	1700g/37 lb
Color	FLINT
Size	250-900
Labeling	NO
printing	NO

TECHNICAL DATA

Machine Status:

NNPB (4 1/4")

Length	250±1.5
Diameter	58.5±1.5
Not well Sealing	YES
Gold and Sealing	YES
Carbonated Invol	-
Thermoblock Max (s)	1-1
Pressure Max(bar)	20
Actual Loading Max(kg)	1.0
Vertical Permeability Max(cc/min)	-

PACKING DATA

Pallet Size(cm)

120x100x249



Nr. of Layers	11
Nr. of PCs in a Layer	410
Layer Height(kg)	7.4
Nr. of PCs in a Pallet	4510
Pallet Height(kg)	815
Area Efficiency(m ²)	1.2

Pallet Type:

Wooden STD

DATE:

1401/06/21





شیشه و گاز

SHISHE VA GAZ

NAME:
SHOGA.250.C.c.W8

PRODUCT DATA

Netto Capacity (ml)	250±0
Filling Capacity (ml)	250
Weight (gr)	170±0
Color	FLint
SIZE	Ø120 x 310
Labeling	YES
printing	NO

TECHNICAL DATA

Machine Station	NNPB (5")
Height (mm)	254±1.4
Diameter (mm)	30.8 ± 0.15
Net and Coating	Yes
Gold and Coating	Yes
Carbonated Level	100
Transmittance (%)	100
Pressure Bar(bar)	20
Body Thickness min (mm)	1.2
Vertical Durability MM (mm)	9.8

PACKING DATA

Pallet Size (cm):

120x100x225

No. of Layers	10
No. of PCs in a Layer	452
Layer Weight (kg)	7.7
No. of PCs in a Pallet	4520
Pallet Weight (kg)	800
Area Efficiency(m ²)	1.2

Pallet Type:



Wooden STD

CODE NR:

EN---108

DATE: 13-05-1400
04-12-2021

DATA Ref: GPI & INSD 1409



Revised Date: 03/07/2020

Revised Num: 1

Excavent's code: GP1806





مملكة فلسطين

SHOGA YA GAZ

NAME: SHOGA 250 C.G.W9

PRODUCT DATA

Netral Capacity	250ml RS
Filling Capacity	250
Weight	185-5 GR
Color	Clear
Size	187-241
Labeling	NO
printing	NO

TECHNICAL DATA

Machine Station:	NNPB (57)
Height (mm)	187.2
Diameter (mm)	241.2
Hot seal Sealing	YES
Cold seal Sealing	NO
Carbonated liquid	-
Thermostatic Max (°C)	-
Pressure Bar(bar)	25
Body Thickness 418 (mm)	1.3
Vertical Durability 500(mm)	4.7

PACKING DATA

Pallet Size(cm)

Nr. of Layers	12
Nr. of PCs in a Layer	410
Layer Height(kg)	70
Nr. of PCs in a Pallet	4920
Pallet Height(kg)	340
Area Efficiency(m ²)	114.2

Pallet Type:
Wooden STD



CODE NR:

NB---126

DATE:

1398/09/28

DATA Ref: GPI & DSD 140P





شیشه و گاز
SHISHE VA GAZ

NAME:
SHOOGA.250.C.T.G.W1

PRODUCT DATA

Drainal Capacity	20000 ml
Filling Capacity	250 ml
Weight	17000 gr
Color	Flint
Size	25-6407
Labeling	NO
printing	NO

TECHNICAL DATA

Machine Statues:	NMPB (5")
Height (mm)	200±1.4
Diameter (mm)	50.3±1.2
Hot seal Sealing	YES
Cold seal Sealing	NO
Carbonated Invol	-
Thermoblock Max (s)	30
Pressure Max(bar)	30
Body Thickness min (mm)	1.3
Vertical Durability NMM(mm)	4.7

PACKING DATA

Pallet Size(cm)
120x100x222

Nr. of Layers	10
Nr. of PCs in a Layer	410
Layer Height(kg)	70
Nr. of PCs in a Pallet	4100
Pallet Height(kg)	730
Area Efficiency(m ²)	1.2
Pallet Type:	Wooden STD



CODE

NR: EN- -91

DATE:

1399/11/22

DATA Ref: GPI & INSO 1409



Revised Date: 05/07/2020

Revised Num: 1

Revised S code: GP1806





SHISHI VA GAZ

51106A 250°C T_C W2

PRODUCT DATA

Wavelength	280nm
Filtering Capacity	500 mL
Weight	1000g
Material	Polym.
Price	\$1500
Location	US
Shipping	Yes

TECHNICAL DATA

Machine Status:

PB (5-1/27)

Height (mm)	302±1.3
Diameter (mm)	955±0.1
Hot end Coating	V20
Cold end Coating	V20
Carbonated level	—
Thermocouple Max. (s)	—
Pressure Max (bar)	20
Tube Thickness min (mm)	—

Vertical Corrosion Allowance	1/8"
------------------------------	------

PACKING DATA

Pallet Size (cm)	
------------------	--

120x100x223

No. of layers	10
no. of pos. in a layer	410
layer weight(s)	79
no. of pos. in a packet	4100
packet weight(s)	790
area (mm ² /mm ²)	1.2

Failed Types:

Wieder: 310
Anzahl: 100



CODE N°:

MB- -124

DATE:

1397/09/19

DATA REGIONS & PSD 1409





شیشه و گاز

SHISHE VA GAZ

PRODUCT DATA

NAME:

SHDGA.250.C.Te.W3

Brutal Capacity	250±2 ml
Filling Capacity	250ml
Weight	172±5 gr
Color	Flint
Size	Ø1 x 28-300
Labeling	NO
printing	NO

TECHNICAL DATA

Machine Status:

NNPB (5")

Length	255±1.4
Diameter	28.5±1.2
Neck and Sealing	YES
Cold end Sealing	YES
Carbonated Invol	-
Thermoshock Max (°C)	++
Printer Machine	20
Data2 Labeling Machine	1.2
Vertical Stability mm/slow	

PACKING DATA

Pallet Size(cm)

120x100x230

Nr. of Layers	10
Nr. of PCs in a Layer	452
Layer Weighting	78
Nr. of PCs in a Pallet	4520
Pallet Weighting	507
Area Efficiency(m ²)	1.3
Pallet Type:	WOODEN



CODE

NR: EN--142

DATE:

1399/11/07

DATA Ref: GFI & INSD 1409



Revised Date: 25/07/2020

Revised Ref: 1

Document & Code: GFI1806





شیشه و گاز

SHISHE VA GAZ

NAME:

SHOGA.250C.Tc.W4

PRODUCT DATA

Brutal Capacity	2500 ml
Filling Capacity	2500 ml
Weight	1.850kg
Color	FLINT
Code	OPT 05-1402
Labeling	
printing	

TECHNICAL DATA

Machine Status:

NNPB 5*

Height (mm)	2000 ± 5 mm
Diameter (mm)	90.10/1.01 mm
Net and Coating	YES
Cold and Sealing	YES
Carbonated level	-
Thermoshock test (s)	-
Printer Machine	-
Body TRICHROM 618 (mm)	
Vertical Durability Machine	

PACKING DATA

Pallet Size(cm)

120x100x222

Nr. of Layers	10
Nr. of PCs in a Layer	452
Layer Weight(kg)	81
Nr. of PCs in a Pallet	4520
Pallet Weight(kg)	844
Area Efficiency(m ²)	1.2
Pallet Type:	



CODE

NR:

DATE:

1400/03/22

DATA Ref: GP1 & IN50 1402



Revised Date: 05/07/2020

Revised Ref: 1

Document n. code: GP1402





گروه صنایع شیشه و گاز

SHISHE VA GAZ INDUSTRIAL GROUP

design@shoga.net

NAME:
Zaki 250(Sarbeland)

PRODCT DATA

Brinful Capacity	250 ± 7 ml
Filling Capacity	250 cc
Weight	160 ± 10 gr
COLOUR	Flint
RING	26-650
Labelling	NO
Printing	NO

TECHNICAL DATA

Maching status:

NNBP 5"

Height (mm)	138.4 ± 1.2
Diameter (mm)	66.6 ± 1.2
HOT end coating	YES
cold end coating	NO
carbonated Level	
Thermo shock MAX(c)	
pressur MAX (bar)	

BODY THICKNESS MIN (mm)	1.3
vertical Durability MAX(mm)	2.9

PACKING DATA

Pallet size (cm)
120*100*218

NR , of Layers	14
NR,OF PCs in a Layer	298
Layer Weight (Kg)	48
NR,OF PCs in a Pallet	4172
pallet Weight (Kg)	702
Area Efficiency (m2)	



Pallet Type:
Wooden STD

code

NR:
MB --- 162

DATA :
1402/05/08

J.F.B.R - S



Review Date : 2023/07/30

Review Num : 1

DOCUMENT CODE: QF 1806

Signature - Designer :

QC :

Customers :

Manager :





گروه صنعتی شیشه و گاز

SHISHE VA GAZ INDUSTRIAL GROUP

design@shoga.net

NAME:

Toros ve paslanmoz 250

PRODCT DATA

Brinful Capacity	265 x 10 ml
Filling Capacity	250 ml
Weight	175 x 10 gr
COLOUR	FLINT
RING	STD 2921-7740 BERICAP
Labling	NO
Printing	NO

TECHNICAL DATA

Maching status:

NNPB 5 "

Height (mm)	180.5 ± 1.6
Diamitar (mm)	48.1 ± 1.4
HOT end coating	YES
cold end coating	YES
carbonated Level	
Thermo shock MAX(c)	
pressur MAX (bar)	
BODY THICKNESS MIN (mm)	1.5
vertical Durability MAX(mm)	3.3

PACKING DATA

Pallet size (cm)
120*100*172

NR , of Layers	9
NR,OF PCs in a Layer	552
Layer Weight (Kg)	97
NR,OF PCs in a Pallet	4968
pallet Weight (Kg)	903
Area Efficiency (m2)	

Pallet Type:

Wooden STD

code

NR:

MB --- 162

DATA:

1402/03/08

J.F.B.R - S

Review Date : 2023/05/29

Review Num : 1




DOCUMENT CODE: QF 1806

Signature - Designer :

QC :

Customers :

Manager :





شیشه و گاز

SHISHE VA GAZ

NAME:

SHOGA.280.J.T.W

PRODUCT DATA

Gravel Capacity	285-9 ML
Filling Capacity	275-9 ML
Weight	1700 gr
Color	FLINT
WMS	PS 100
Labeling	NO
printing	NO

TECHNICAL DATA

Machine Statute:

NNPB (5")

Height (mm)	170 ±1,4
Diameter (mm)	65.8±1,2
NO AND COATING	YES
Cold and Sealing	YES
Carbonated Bevs	-
Thermotack Max (°C)	50
Pressure Max(bar)	50
Body Thickness (mm)	2.0
Vertical Deformability (mm)	3.7

PACKING DATA

Pallet Size(cm)

120x100x215

No. of Layers	11
No. of PCs in a Layer	410
Layer Weight(kg)	69
No. of PCs in a Pallet	4510
Pallet Weight(kg)	795
Area Efficiency(m ²)	1.2
Pallet Type:	Wooden STD



CODE

NR: 113--94

DATE:

1398/12/26

DATA Ref: DFI & INSD 1409





NOTE:
SHOGA.280.C.c.G

Drainage Capacity	30000 m ³
Filling Capacity	100
Weight	230x10 (kg)
In Use	Flint
Size	Col 16-600


Machine Status:	
H01 d 114	
Height (mm)	235 ±1.5
Diameter (mm)	579.9 ±1.5
Not end Coating	YES
Cold end Coating	NO
Carbonated Steel	-
Thermocouple Box (s)	1
Pressure Bar(s)	20
Body Thickness min (mm)	1.3
Vertical Parallelity MAX(mm)	4

Pallet Size(cm)	120x100x211
-----------------	-------------

No. of Layers	8
No. of Pallets in a Layer	410
Layer Height(kg)	100
No. of Pallets in a Pallet	3280
Pallet Weight(kg)	801
Area Efficiency(m ²)	1.2
Pallet Type:	Customer pallet

DATE: 1401/07/10

DATA Bz: CIP1 & INSD 1409





NAME : SHOGA, ZHOU, C. W.

Drum Capacity	220-240L
Filling Capacity	100%
Weight	270-500g
Colour	Flint
Motor	SP2 24-6000
Labeling	NO
Printing	NO


Machine Stacks:	
NNPB 5*	
Height (mm)	2313.4
Diameter (mm)	52.5+/-2
Hot end Cooling	YES
Cold end Chilling	YES
Carbonated Steel	-
Overstroke (in)	-
Printer Name(s)	3D
Max Theoretical Air (m)	1.3
Vertical Accuracy (mm)	0.1

Pallet Size(cm)
120x100x190


No. of Layers	11
No. of PCs in a Layer	1000
Layer Weight(kg)	70
No. of PCs in a Pallet	2564
Pallet Weight(kg)	690
Area Efficiency(m^2)	1.2
Pallet Type:	

CODE
NR:
DATE: 1399/07/16


DATA Ref: GPT & TNSD 1409



60 FREIGHT COLLECTED BY BOATING SLUICED
S. N. LANE & L. J. WOLF, JR., & SONS



09-0300-2864-0005 (Print)



Printed Date: 05/07/2020

File Name: 940117

Document's Code: QF1817





SHISHE YA GAZ

NAME:

SHOGA 300.C & W

PRODUCT DATA

Bottle Capacity	312±8 cl
Filling Capacity	300 cl
Weight	200±8 gr
Color	Clear
Size	24-450
Labeling	NO
Printing	NO

TECHNICAL DATA

Machine Model	B&B 4 1/4"
Height (mm)	200±1.5
Diameter (mm)	100±1.2
Hot end Coating	YES
Cold end Coating	YES
Carbonated level	-
Flareback Max (c)	50
Pressure (bar)	01
Body Thickness min (mm)	1.3
Vertical Stability (mm)	4.7

PACKING DATA

Pallet Size(cm)

120x100x200

Br. of Layers	8
Br. of PCs in a Layer	305
Layer Height(cm)	70
Br. of PCs in a Pallet	2440
Pallet Weight(kg)	840
Area Eff (m ²)	1.2

Pallet Type:



Wooden STD

DATE:

1401/02/04

DATA Ref: GP2 & INS0 1400

0.00.00.00.00



Revised Date: 05/07/2020

Revised No: 1

Document: S-CODE: GP1806





DATE: SHOGA.300.I.S.W2

Drainal Capacity	300±0 s
Filling Capacity	300 s
Weight	200±5 g
In line	Flint
size	00520
Labeling	NO
printing	NO



Machine Status:	
NHPD (5'')	
Height (mm)	1
Diameter (mm)	1
Not used Coating	YES
Cold and Coating	NO
Carbonated Steel	NO
Thermoplastic Wax (s)	50 G
Fraser Bar (bar)	NO
Body Thickness (mm)	1
Vertical Thickness (mm)	3

[illegible]

No. of Layers	
No. of PMA in a Layer	
Layer Weight(kg)	
No. of PMA in a Pallet	2950
Pallet Weight(kg)	
Area Efficiency(m ²)	
Pallet Type:	
Wooden STD	

DATE: _____

DATA Ref: OPI & INSG 1400
626



Rev. Date: 03/07/2009

File Name: 30001_1

Decayent's code: GF7806





شیشه و گاز

SHISHPE VA GAZ

NAME:
SHOGA-300 (S.W1)

PRODUCT DATA

Netral Capacity	310-400 ML
Filling Capacity	300 ML
Weight	215-280 GR
Color	Clear
Size	Ø 30x
Labeling	NO
Printing	NO

TECHNICAL DATA

Machine Status:	
BB (5 1/2")	
Height (mm)	180-210
Diameter (mm)	30(31)
Hot and Gelling	YES
Cold and Gelling	NO
Carbonated Drink	-
Thermoblock Max (s)	-
Pressure Max(Bar)	30
Body Thickness min (mm)	1.2
Vertical Stretchability 300(mm)	5.0

PACKING DATA

Pallet Size(cm)
120x100x213

Nr. of Layers	11
Nr. of PCs in a Layer	371
Layer Weight(kg)	80
Nr. of PCs in a Pallet	4081
Pallet Weight(kg)	310
Area Efficiency(%)	1.2
Pallet Type:	Random STD



CODE NR:

MB - - 100

DATE:

1400/09/17

DATA Ref: BRITISH GLASS & ENSD 1409





NAME: SHOGA,300.LT.W5

Drifted Capacity (mL)	31447
Filling Capacity (mL)	383
Weight (g)	455.7
Color	Flare
FRAG	TD30 TD 145
Labeling	180
Part No.	140

Machine Features	
NMPB (5")	
Height (mm)	172±1.3
Diameter (mm)	656.8±1.2
Hot end Cooling	YES
Cold end Cooling	YES
Cut & sealed forest	—
Thermoblock Mac	YES
Pressure Map (bar)	NO
Body Temperature (mm)	1.3
Hot end Diameter by SWOC (mm)	3.3



Pallet Size (cm)	
120x100x229	
Net Weight (kg)	12
Net PCs in a Layer	371
Layer Weight (kg)	7.8
Net PCs in a Pallet	4432
Pallet Weight (kg)	75.6
Area Efficiency (%)	9.3

Pallet Type: Wooden STD

CODE NR:
MB149

DATE: 1401/4/22

Fresh To-38 FD 146
 32.15 - 0.38 = 36.77
 32.15 + 0.38 = 37.53



Review Date: 03/07/2025

File Name: Name: 1

Document's code: QF0000





شیشه و گاز

SHISHE VA GAZ

NAME:
SHOGA.300.JT.W1

PRODUCT DATA

Gross Capacity	300ml eL
Filling Capacity	300 eL
Weight	1820g g
Color	FLINT
Size	TO 26 FD 140
Labeling	YES
printing	NO

TECHNICAL DATA

Machine Status:	
NNPB 5*	
Height (mm)	200.1.4
Diameter (mm)	61.5x1.2
Hot seal Gasket	YES
Cold seal Gasket	YES
Carbonated level	-
Thermostatic Box (No)	NO
Pressure Box(Bar)	-
Body Thickness mm (mm)	1.2
Vertical Circularity (mm)	4

PACKING DATA



Pallet Size(cm)

100x120x220

Nr. of Layers	10
Nr. of PCs in a Layer	333
Layer Height(kg)	63
Nr. of PCs in a Pallet	3300
Pallet Weight(kg)	610
Area Efficiency(m ²)	1.2
Pallet Type:	

CODE
NR: EM 149
DATE: 1400/02/05

DATA Ref: GPI & ZHSO 1409



Revised Date: 05/07/2025

Revised Num: 1

Document's code: GPI008





شیشه و گاز

SHISHE VA GAZ

NAME:

SHOJA.300.LT.W2

PRODUCT DATA

Gravel Capacity	30000 ML
Filling Capacity	300 AL
Weight	17000 GR
Color	FLINT
WMS	10000100
Labeling	NO
printing	NO

TECHNICAL DATA

Machine Statute:

NNPB bottero

Height (mm)	55211-3
Diameter (mm)	33.6x1.3
NO AND COATING	YES
Cold and Sealing	YES
Carbonated Bevs	-
Thermotack Max (C)	50
Pressure Max(bar)	50
Body Thickness (mm)	2.0
PORTING DURABILITY MINIMO 4.7	

PACKING DATA

Pallet Size(cm)



120x100x230

No. of Layers	11
No. of PCs in a Layer	371
Layer Weight(kg)	70
No. of PCs in a Pallet	4001
Pallet Weight(kg)	785
Area Efficiency(m ²)	1.2
Pallet Type:	Wooden STD

DATE:

1401/3/17

DATA Ref: GPI & INSD 1409





شیشه و گاز

SHISHE VA GAZ

NAME:

SHIGA.300.LT.W3

PRODUCT DATA

Drinking Capacity (ml)	300
Filling Capacity (ml)	300
Weight (gr)	175±8
Colour	Clear
RMG	To 28 TO-145
Labelling	50
Pressure	80


TECHNICAL DATA

Machine Status:

NPB-4-1/1

Height (mm)	180±2
Diameter (mm)	65±1.2
Hot end Coating	YES
Cold end Coating	YES
Carbonated Level	---
Thermoshock Max (°C)	28
Pressure Max (bar)	80
Body Thickness min (mm)	1.3
Vertical Durability Max (mg) 4.1	

DATA Ref: GPI & INSO 1409



Finish: FD 145 TO 38
 $37.13 + 0.38 = 37.52$
 $37.13 - 0.38 = 36.75$

PACKING DATA

Pallet Size (cm)

120x100x226

Total Layers	11
Total PCs in a Layer	410
Layer Weight (Kg)	71
Total PCs in a Pallet	4510
Pallet Weight (Kg)	460
Area Efficiency (m²)	1.2


Pallet Type:

Wooden STD

CODE NR:

812-149

DATE: 1401-09-25



Revised Date: 03/07/2020

Revised Ref: 1

Drawings & Code: GPI-806





SHISHE VA GAZ

NAME:
SHOGA.300.LT.W4

PRODUCT DATA

Drinking Capacity	347x (ml)
Filling Capacity	350 ml
Weight	1000 (G/G)
Colour	Clear
Size	300x100x230
Labeling	NO
Printing	NO

TECHNICAL DATA



Machine Status:	NNPB 5 th
Height (mm)	750 ± 1.5
Diameter (mm)	100 ± 1.5
Hot and Cooling	YES
Gold and Coating	YES
Carbonated Level	-
Thermotack Res (s)	50
Prepar. Method	20
Body Thickness (mm)	1.2
Optical Durability (MMH)	4.7

PACKING DATA

Pallet Size (cm)	120x100x230
No. of Layers	11
No. of PCs in a Layer	2535
Layer Weight (kg)	400
No. of PCs in a Pallet	27885
Pallet Weight (kg)	750
Area Efficiency (%)	1.2
Pallet Type	Wooden STD

DATE:
1401/5/2

DATA Ref: GPE & INSD 1409



Revise Date: 05/07/2020

Revise Ref: 1 DocuRef: 3 Code: GF 4808





شیشه و گاز

SHISHE VA GAZ

PRODUCT DATA

NAME: SHOGGA 300 LT.W6

Brutal Capacity	300-300 ml
Filling Capacity	300 ml
Weight	200-200 gr
Color	Flint
Size	10-140
Labeling	NO
Printing	NO

TECHNICAL DATA

Machine Status:	NNP5 5*
Length	100-301.4
Diameter	89.0/1.0
Hot end coating	YES
Cold end coating	YES
Carbonated Level	-
Thermostock Max (°C)	50
Printer Number	30
Actual Loading Max	1.88
Vertical Availability MAX	4.1

PACKING DATA

Pallet Size(cm)

120x100x221


Nr. of Layers	10
Nr. of PCs in a Layer	371
Layer Weight(kg)	7.4
Nr. of PCs in a Pallet	3710
Pallet Weight(kg)	770
Area Efficiency(m ²)	5.2

Pallet Type:
Wooden STD

CODE

NR: MB- - -100

DATE:
1401/12/02





SHISHI VA GAZ

NAME: _____

SHOGA, 330 C.c. W

PRODUCT DATA

Brutal capacity	300x6 mm
Filling capacity	100
Weight	280x8 g ³
In box	Flint
Size	101/100
Labeling	NO
printing	NO

TECHNICAL DATA

Marlene Staßer.

1988年12月20日

Height (mm)	238±1.3
Diameter (mm)	303.6±1.2
Soil and Coating	—
Cold and Coating	—
Carbonated Level	—
Thermocouple Max (°C)	—
Pressure Bar(Bar)	1.0
Moisture Thickness air (mm)	—

Vertical Errorability (MAX) (%)	4.9
---------------------------------	-----

PACKING DATA

Pallet Size(cm)	
-----------------	--

120x100x200

No. of Layers	9
No. of PUs in a Layer	371
Layer Weight(kg)	97
No. of PUs in a Pallet	1339
Pallet Weight(kg)	896
Area Efficiency(m^{-2})	1.2



Pallet Eggs:	Customer pallet
--------------	-----------------

CODE NR:

MB- - -137

DATE:

1398/09/23





گروه صنایع شیشه و گاز

SHISHE VA GAZ
INDUSTRIAL GROUP
design@shoga.net

NAME:

330

PRODUCT DATA

Brinful Capacity	345±5 ML
Filling Capacity	330 ML
Weight	185±5 GR
Colour	Flint
RING	FD 146
Labelling	NO
printing	NO

TECHNICAL DATA

Machine Status:

NNPB (5")

Height (mm)	190±1.5
Diameter (mm)	Ø62±1.2
Hot end Coating	YES
Cold end Coating	YES
Carbonated level	-
Thermoshock Max (°C)	-
Pressure Max (Bar)	No
Body Thickness min (mm)	1.3
Vertical Durability MAX (mm)	4.7

PACKING DATA

Pallet Size (cm)

120x100x211

Nr. of Layers	10
Nr. of PCs in a Layer	333
Layer Weight (kg)	66
Nr. of PCs in a Pallet	333
Pallet Weight (kg)	663
Area Efficiency (m ²)	1.2

Pallet Type:

Wooden STD

CODE NR:

MB --- 162

DATE: 28/04/2018

1397/02/08



Signature-Designer:

QC:

Customers:

Manager:

DATA Ref: GPI & INSO 1409





شیشه و گاز

SHISHE YA GAZ

NAME:

SHOGA3200C.W

PRODUCT DATA

Brutal Capacity	320/28.80
Filling Capacity	320 x1
Weight	205x9.07
Color	Flint
MMO	28.890
Labeling	NCS
printing	NO

TECHNICAL DATA

Machine Status:

NNPB 5*

Height (mm)	22311.3
Diameter (mm)	59.211.2
Net and Coating	YES
Cold and Sealing	YES
Carbonated Invol	-
Thermoshock Max (C)	-
Printer No(bar)	20
Body Thickness (mm)	1.0
Vertical Durability (mm)	4.7

PACKING DATA

Pallet Size(cm)

120x100x223



Nr. of Layers	9
Nr. of PCs in a Layer	371
Layer Weighting	74
Nr. of PCs in a Pallet	3329
Pallet Weighting	700
Area Efficiency(m ²)	1.3

Pallet Type:
Gostoner pallet

DATE:

1401/1/22

DATA Ref: GFI & INSD 1409



Revised Date: 25/07/2020

Revised Ref: 1

Document E CODE: GFI806





شیشه و گاز

SHISHIE VA GAZ

NAME:
SHOGA.320.C.Te.W

PRODUCT DATA

Drum Capacity	300±5 kg
Filling Capacity	320
Weight	225±5 kg
Color	Flint
Size	500
Labeling	NO
printing	NO

TECHNICAL DATA

Machine Status:	NNPB (5")
Height (mm)	325±0.5
Diameter (mm)	500.1
Hot seal Sealing	YES
Cold seal Sealing	YES
Carbonated Invol	-
Thermoblock Max (s)	-
Pressure Bar(Bar)	1.8
Body Thickness min (mm)	1.3
Vertical Durability NOK(mm)	4.7

PACKING DATA



Pallet Size(cm)
120x100x200

Nr. of Layers	8
Nr. of PCs in a Layer	371
Layer Height(kg)	84
Nr. of PCs in a Pallet	2968
Pallet Height(kg)	702
Area Efficiency(m ²)	1.2
Pallet Type:	Customer pallet

CODE NR:
MB---137

DATE:
1398/04/29

DATA Ref: GPI & INSD 140P





گروه صنایع شیشه و گاز

SHISHE VA GAZ

INDUSTRIAL GROUP

design@shoga.net

NAME:
Bottel 320

PRODUCT DATA

Brimful Capacity	335±5 mL
Filling Capacity	320 mL
Weight	240±10gr
Colour	green
RING	GPI 26-600
Labelling	
printing	

TECHNICAL DATA

Machine Status:
BB

Height (mm)	211.8±1.5
Diameter (mm)	60.36 ± 1.2
Hot end Coating	NO
Cold end Coating	NO
Carbonated level	
Thermoshock Max (c)	50
Pressur Max(bar)	20
Body Thickness min (mm)	1.3
Vertical Durability MAX(mm)	4.4

PACKING DATA

Pallet Size(cm)
100x120x212


Nr. of Layers	8
Nr. of PCs in a Layer	371
Layer Weight(kg)	86
Nr. of PCs in a Pallet	2968
Pallet Weight(kg)	720
Area Efficiency(m ²)	

Pallet Type: **PE**


Designer:
M. Dalvand

DATE:
1403/02/31


DATA Ref: GPI & INSO 1409



DIGITAL NO. OF MOULD
0.6 DEEP



BOTTOM VIEW



8x371=2968 PCs/Pallet

Review Date: 05/07/2020

Review Num: 1

Document's code: QF1806

Signature-Designer:

QC:

Customers:

Manager:





گروه صنایع شیشه و گاز

SHISHE VA GAZ
INDUSTRIAL GROUP

design@shoga.net

NAME:

Delster kh330

PRODUCT DATA

Briefful Capacity	335±10 ml
Filling Capacity	320 ml
Weight	220±10 gr
Colour	Green
RING	GPI 26-650
Labelling	NO
printing	NO

TECHNICAL DATA

Machine Status:

B&B 4 1/4"

Height (mm)	163±1.3
Diameter (mm)	69±1.3
Hot end Coating	NO
Cold end Coating	NO
Carbonated level	-
Thermoshock Max (°C)	-
Pressure Max(bar)	20

Body Thickness min (mm)

1.3

Vertical Durability MAX(mm)

3.4

PACKING DATA

Pallet Size(cm)

120x100x220

Nr. of Layers	12
Nr. of PCs in a Layer	264
Layer Weight(kg)	58
Nr. of PCs in a Pallet	3168
Pallet Weight(kg)	727
Area Efficiency(m ²)	1.2

Pallet Type:

Wooden STD


CODE

NR: MB - - - 149


DATE:

1399/10/13


DATA Ref: GPI & INSO 1409




60 CRESCENT STEPPLES ON BEARING SURFACE
4.0 LONG x 1.3 WIDE x 0.5 DEEP



DELSTER



12x264=3168 PCs/Pallet



Review Date: 05/07/2020

Review Num: 1

Document's code: GP1806

Signature-Designer:

QC:

Customers:

Manager:





گروه صنایع شیشه و گاز

SHISHE VA GAZ
INDUSTRIAL GROUP

design@shoga.net

NAME:

ISTAK 320

PRODUCT DATA

Brief Capacity	335±9 mL
Filling Capacity	320 mL
Weight	205±8 gr
Colour	Flint
RING	TD 26 GPI 400
Labelling	-
printing	NO

TECHNICAL DATA

Machine Status:

NNPB (5")

Height (mm)	211.6±1.4
Diameter (mm)	60.3±1.2
Hot end Coating	YES
Cold end Coating	YES
Carbonated level	-
Thermoshock Max (°C)	-
Pressure Max(bar)	-

Body Thickness min (mm)

1.3

Verticality MAX(mm)

4.4

PACKING DATA

Pallet Size(cm)

120x100x210

Nr. of Layers	9
Nr. of PCs in a Layer	361
Layer Weight(kg)	74
Nr. of PCs in a Pallet	3249
Pallet Weight(kg)	695
Area Efficiency(m ²)	1.2

Pallet Type:

Wooden STD



CODE

NR: EM - - -

DATE:

1401/08/21

DATA Ref: GPI & INSO 1409



Signature-Designer:

QC:

Customers:

Manager:





گروه صنایع شیشه و گاز

**SHISHE VA GAZ
INDUSTRIAL GROUP**

design@shoga.net

NAME:

Aqua rina

PRODUCT DATA

Briefful Capacity	340ml
Filling Capacity	330 ML
Weight	245g GR
Colour	GREEN
RING	MCA2
Labelling	NO
printing	NO

TECHNICAL DATA

Machine Status:

BB (5")

Height (mm)	192±1.5
Diameter (mm)	Ø59.5±1
Hot end Coating	YES
Cold end Coating	NO
Carbonated level	-
Thermosock Max (c)	50
Pressur Max(bar)	17
Body Thickness min (mm)	1.3
Vertical Durability MAX(mm)	4

PACKING DATA

Pallet Size(cm)

120x100x213

Nr. of Layers	10
Nr. of PCs in a Layer	371
Layer Weight(kg)	94
Nr. of PCs in a Pallet	3710
Pallet Weight(kg)	939
Area Efficiency(m ²)	1.2

Pallet Type:

Wooden STD



CODE

NR: MB - - 100

DATE:

1403/02/24

DATA Ref: BRITISH GLASS & INSO 1409



Signature-Designer:

QC:

Customers:

Manager:





گروه صنایع شیشه و گاز

**SHISHE VA GAZ
INDUSTRIAL GROUP**

design@shoga.net

NAME:

Alrayan 330

PRODUCT DATA

Brinful Capacity	345±9 mL
Filling Capacity	330 mL
Weight	180±10 gr
Colour	flint
RING	TD 38 PD 146
Labelling	-
printing	-

TECHNICAL DATA

Machine Status:

NNPB 5"

Height (mm)	192±1.8
Diameter (mm)	59.5±1.6
Hot end Coating	YES
Cold end Coating	YES
Carbonated level	-
Thermoshock Max (c)	Δ150°
Pressure Max(bar)	-
Body Thickness min (mm)	1.3
Vertical Durability MAX(mm)	4

PACKING DATA

Pallet Size(cm)

100x120x235

Nr. of Layers	11
Nr. of PCs in a Layer	371
Layer Weight(kg)	67
Nr. of PCs in a Pallet	4081
Pallet Weight(kg)	770
Area Efficiency(m ²)	1.2
Pallet Type:	



CODE

NR:


DATE:

1401/09/15

DATA Ref: GPI & INSO 1409



11x371=4081 PCs/Pallet



Review Date: 05/07/2020

Review Num: 1

Document's code: QF1806

Signature-Designer:

QC:

Customers:

Manager:





گروه صنایع شیشه و گاز

SHISHE VA GAZ
INDUSTRIAL GROUP
design@shoga.net

NAME:

Aqua rina

PRODUCT DATA

Brinful Capacity	340ml ML
Filling Capacity	330 ML
Weight	215g GR
Colour	Flint
RING	GF 320
Labelling	NO
printing	NO

TECHNICAL DATA

Machine Status:

NNPB (5")

Height (mm)	192±1.5
Diameter (mm)	Φ58±1
Hot end Coating	YES
Cold end Coating	NO
Carbonated level	-
Thermoshock Max (c)	-
Pressur Max(bar)	NO
Body Thickness min (mm)	1.2
Vertical Durability MAX(mm)	5.5

PACKING DATA

Pallet Size(cm)

120x100x213

Nr. of Layers	10
Nr. of PCs in a Layer	371
Layer Weight(kg)	82
Nr. of PCs in a Pallet	3710
Pallet Weight(kg)	828
Area Efficiency(m ²)	1.2

Pallet Type:

Wooden STD



CODE NR:

MB --- 100

DATE:

1395/06/23

DATA Ref. BRITISH GLASS & INSO 1409



Signature-Designer:

QC:

Customers:

Manager:





شیشه و گاز

SHISHE VA GAZ

NAME:
SHOGA.330.JT.W2

PRODUCT DATA

Brutal Capacity	330ml
Filling Capacity	330 ml
Weight	1800 gr
Color	Clear
Size	TO 28 FD 140
Labeling	NO
printing	NO

TECHNICAL DATA

Machine Status:	NNPB (5")
Height (mm)	1900.5
Diameter (mm)	62.1.3
Hot seal Gasket	YES
Cold seal Gasket	NO
Carbonated drink	-
Thermoback Max (s)	50
Printer Max(Bar)	80
Body Thickness min (mm)	1.3
Vertical Durability MOK(mm)	6.7

PACKING DATA

Pallet Size(cm)

120x100x211



Nr. of Layers	11
Nr. of PCs in a Layer	303
Layer Weight(kg)	66
Nr. of PCs in a Pallet	3303
Pallet Weight(kg)	725
Area Efficiency(%)	1.2
Pallet Type:	Wooden STD

CODE

NR: MB--162

DATE:
1398/09/06

DATA Ref: GFI & INSG 1400





گروه صنایع شیشه و گاز

**SHISHE VA GAZ
INDUSTRIAL GROUP**

design@shoga.net

NAME:

RABWA 350

PRODUCT DATA

Brinful Capacity	365410 ml
Filling Capacity	350 ml
Weight	190810 gr
Colour	FLINT
RING	YG-38FD146
Labelling	NO
printing	NO

TECHNICAL DATA

Machine Status:

NNPB (5")

Hight (mm)	
Diameter (mm)	
Hot end Coating	YES
Cold end Coating	YES
Carbonated level	-
Thermoshock Max (s)	-
Pressur Max(bar)	NO
Body Thickness min (mm)	1.3
Vertical Durability MAX(mm)	

PACKING DATA

Pallet Size(cm)

120x100x233

Nr. of Layers	11
Nr. of PCs in a Layer	371
Layer Weight(kg)	72
Nr. of PCs in a Pallet	4081
Pallet Weight(kg)	785
Area Efficiency(m ²)	1.2




Pallet Type:

Wooden STD

DATE:

1401/08/04

DATA Ref: GPI & INSO 1409



Review Date: 05/07/2020

Review Num: 1

Document's code: QF1806

Signature-Designer:

QC:

Customers:

Manager:





گروه صنایع شیشه و گاز

SHISHE VA GAZ
INDUSTRIAL GROUP

design@shoga.net

NAME:

ABLIMO 410

PRODUCT DATA

Brinful Capacity	410 8 ml
Filling Capacity	410 ml
Weight	340±5 gr
Colour	Flint
RING	MCA2
Labelling	YES
printing	NO

TECHNICAL DATA

Machine Status:	BB
Height (mm)	262.2±1.4
Diameter (mm)	61.8±1.2
Hot end Coating	YES
Cold end Coating	YES
Carbonated level	-
Thermoshock Max (°C)	-
Pressur Max(bar)	20
Body Thickness min (mm)	1.3
Vertical Durability MAX(mm)	5.5



PACKING DATA

Pallet Size(cm)	120x100x230
Nr. of Layers	8
Nr. of PCs in a Layer	333
Layer Weight(kg)	117
Nr. of PCs in a Pallet	2664
Pallet Weight(kg)	936
Area Efficiency(m ²)	1.2
Pallet Type:	Customer pallet

DATE:

1401/8/14

DATA Ref: GPI & INSO 1409



Review Date: 05/07/2020

Review Num: 1

Document's code: GP1806

Signature-Designer:

QC:

Customers:

Manager:





شیشه و گاز

SHISHE VA GAZ

NAME:
SHIGA 400 J.S.W

PRODUCT DATA

Gravel Capacity	400±5 g
Filling Capacity	400 ±2
Weight	300±10 g
Color	FLINT
Size	19.38 x 30.4
Labeling	NO
printing	NO

TECHNICAL DATA



Machine Standard:	NNPB (5")
Height (mm)	242±1.4
Diameter (mm)	64±0.3
NO AND COATING	YES
Cold and Sealing	YES
Carbonated Bevs	-
Thermotack Max (°C)	YES
Pressure Bar (bar)	5a
Body Thickness (mm)	1.2
VERTICAL DURABILITY (MM/MIN)	5

PACKING DATA

Pallet Size (cm)	120x100x210
No. of Layers	8
No. of PCS in a Layer	305
Layer Weight (kg)	92
No. of PCS in a Pallet	2440
Pallet Weight (kg)	795
Area Efficiency (m ²)	1.2
Pallet Type:	Wooden STD

CODE
NR: MB - - - 135
DATE: 1399/10/07

DATA Ref: GFI & INSD 1409



Revised Date: 02/07/2020

Revised No: 1

Document's Code: GFI-806





شیشه و گاز

SHISHE VA GAZ

NAME:

SHIGA 500L.c.W2

PRODUCT DATA

Brutal Capacity (mL)	500
Filling Capacity (mL)	500
Weight (gr)	200
Colour	Red
Size	—
Labeling	Yes
Printing	Yes

TECHNICAL DATA

Machine Status:

NPB (31)

Height (mm)	180±10
Diameter (mm)	62±1.5
Hot and Cooling	Yes
Cold and Cooling	Yes
Carbonated level	—
Thermoshock Max (s)	10
Pressure Max (bar)	1.5
Body Thickness MIN (mm)	1.5
Vertical Drivability MAX (mm)	67

PACKING DATA

Pallet Size (cm):

120x100x172

Nr. of Layers	5
Nr. of PCs in a Layer	233
Layer Weight (Kg)	50
Nr. of PCs in a Pallet	233
Pallet Weight (Kg)	250
Area Efficiency (m²)	1.2
Pallet Type	Wooden STD



CODE NR:

MS-131

DATE:

1400-06-30

DATA Ref : GPI & INSO 1409



Revised Date: 05/07/2020

Revised Ref: 1

Document's Code: GPI-006





SHISHE VA GAZ

NAME: SHOGA 500 Ltr WT

PRODUCT DATA

Brand	Capacity	500-1000
Prod Capacity	date	1000
Weight	1000-1100	
COLOR	Blue	
PHD	1000-1000	
Leaking	NO	
Pinning	NO	

TECHNICAL DATA

Working status:

Height (mm)	275	1.2
Diameter (mm)	60.3	1.3
PCOT and coating	PCOT	
and and coating	PCOT	
color and	blue	
Thermal shock	1000	
pressure	1000	
and	1.2	
and	5.7	

PACKING DATA

Total size (mm)

1000x1000x1000

Net. of Layers	3
Net. of PCs in a Layer	298
Layer Weight (kg)	1.19
Net. of PCs in a Pack	2088
Net. Weight (kg)	807
Area efficiency (m ²)	
Panel type	Wooden STD




code

HT

HT 1000-1000


DATA 1000(1000)

UP B.T. -P



(9*16)+(8*17)
298PCs/Layer

7*298-298 PCP/layer



Revise Date: 2023/02/28

Revise Date: 1

Document Code: QP 1000





NAME: SHOGA_500_LS.W1

Initial Capacity	512-2 MB
Filling Capacity	500
Weight	380-10 MB
Color	Flint
Size	20
Labeling	NO
printing	NO



Machine Status:	
BB (5-1/2")	
Height (mm)	260.2
Diameter (mm)	46.0542
Hot and Quoting	N/A
Cold and Quoting	N/A
Carbonated Inlet	
Thermocouple Box (s)	
Pressure (bar)	0.0
Body Thickness (mm)	1.3
Virtual Elasticity Modulus (GPa)	0

Pallet Size(cm)	120x100x186
-----------------	-------------

Nr. of Layers	8
Nr. of PCs in a Layer	204
Layer Weight(kg)	105
Nr. of PCs in a Pallet	1584
Pallet Weight(kg)	632
Area Efficiency(%)	1.2
Pallet Type:	Wooden STD

DATE: 1401/8/3

DATA BzF CFI & INSD 1409







شیشه و گاز

SHISHE VA GAZ

NAME:

SHOGA 710 J.S.W

PRODUCT DATA

Gravel Capacity	720litre 30
Filling Capacity	710 ml
Weight	440 ±10gr
Color	Flint
WOB	0F.010
Labeling	NO
printing	NO

TECHNICAL DATA

Machine Standard	885 5,1/2"
Height (cm)	270.7±1.7
Diameter (cm)	77.5±1.4
NO AND COATING	80
Cold and Sealing	V2
Carbonated Bevs	-
Thermotack Max (C)	50 °C
Pressure Max(bar)	-
Body Thickness (mm)	1.0
Vertical Distillability	MINIMUM 5.7

PACKING DATA



Pallet Size(cm)	120x100x215
No. of Layers	7
No. of PCs in a Layer	200
Layer Weight(kg)	80
No. of PCs in a Pallet	1400
Pallet Weight(kg)	560
Area Efficiency(m ²)	1.2
Pallet Type	Wooden STD

CODE

NR: EN--118

DATE: 1399/08/11

DATA Ref: GPI & INSD 1409



Revised Date: 05/07/2020

Revised No: 1

Drawn By: S. GORE: GPI-806





شیشه و گاز

SHISHIE VA GAZ

NAME:

SHOGA.750.3c.W

PRODUCT DATA

Useful Capacity	750.10 ML
Filling Capacity	750.0 L
Weight	450.0 GR
Color	FLINT
WMS	PH1
Labeling	NO
printing	NO

TECHNICAL DATA

Machine Standard:

PB (5-1/2")

Height (mm)	250 ⁺¹¹ -5
Diameter (mm)	72 ^{+2.0} -1
NO AND COATING	80
Cold and Sealing	V2
Carbonated Bevs	-
Thermotack Max (°C)	-
Pressure Max(bar)	5.0
Body Thickness (mm)	1.0
Vertical Durability MAX(MPa)	5.0

PACKING DATA

Pallet Size(cm)



120x100x220

No. of Layers	8
No. of PCs in a Layer	200
Layer Weight(kg)	80
No. of PCs in a Pallet	1600
Pallet Weight(kg)	780
Area Efficiency(m ²)	1.2
Pallet Type:	Wooden STD

DATE:

1401/7/9

DATA Ref: GFI & UNDO 1409





شیشه و گاز

SHISHA VA GAZ

NAME:
SHOGA.750 J.S.W

PRODUCT DATA

Netal Capacity	750±10 ML
Filling Capacity	750 ML
Weight	450-8 08
Color	Flint
Size	304
Labelling	NO
printing	NO

TECHNICAL DATA



Machine Status:	
PB (5-1/2")	
Height (mm)	254±1.6
Diameter (mm)	127±1.1
Hot seal Gasket	NO
Cold seal Gasket	NO
Carbonated Invol	
Thermoback Max (s)	
Printer Max(Bar)	NO
Body Thickness min (mm)	1.3
Vertical Strength 500(mm)	5.3

PACKING DATA

Pallet Size(cm)	
120x100x220	
Nr. of Layers	8
Nr. of PCs in a Layer	200
Layer Weight(kg)	95
Nr. of PCs in a Pallet	1600
Pallet Weight(kg)	780
Area Efficiency(m ²)	1.2
Pallet Type:	
Wooden STD	

DATE:
1401/7/9

DATA Ref: GPI & DSD 1409



8 x 200=1600 PCs/Pallet





گروه شیشه و گاز

SHISHE VA GAZ INDUSTRIAL GROUP

design@shoga.net

NAME: PAKDIS 800

PRODUCT DATA

Brimful Capacity	835 ±10 ml
Filling Capacity	800 cc
Weight	415 ±10 gr
COLOUR	Flint
RING	32-TO-A
Lebbling	NO
Printing	NO

TECHNICAL DATA

Machining status:

NNPB 5°

Height (mm)	253.4 ± 1.8
Diameter (mm)	75 ±1.8
HOT end coating	NO
cold end coating	NO
carbonated Level	
Thermo shock MAX(c)	
pressure MAX (bar)	

BODY THICKNESS MIN (mm)	1.4
vertical Durability MAX(mm)	5.2

PACKING DATA

Pallet size (cm)
120*100*223



NR. of Layers	8
NR.OF PCs in a Layer	233
Layer Weight (Kg)	97
NR.OF PCs in a Pallet	1864
pallet Weight (Kg)	806
Area Efficiency (m2)	

Pallet Type: Wooden STD

code

NR: MB — 162

DATA: 1401/10/6



Review Date: 2020/07/05

Review Num.: 1

DOCUMENT CODE: QF 1806

Signature - Designer :

QC :

Customers :

Manager :





شیشه و گاز

SHISHE VA GAZ

NAME:

SHOGA.MOJ.S.W

PRODUCT DATA

Useful Capacity	800ml SL
Filling Capacity	840cc SL
Weight	440±5 GR
Color	FLINT
Size	334
Labeling	NO
printing	NO

TECHNICAL DATA

Machine Model:

HB (5 1/2")

Height (mm)	247±1.2
Diameter (mm)	75.6±0.3
NO AND COATING	
Cold and Sealing	V2
Carbonated Bevs	-
Thermotack Max (°C)	
Pressure Max(bar)	50
Body Thickness min (mm)	1.2
Vertical Durability MIN/MAX	5.2

PACKING DATA

Pallet Size(cm)



120x100x218


No. of Layers	8
No. of PCs in a Layer	200
Layer Weight(kg)	93
No. of PCs in a Pallet	1600
Pallet Weight(kg)	745
Area Efficiency(m ²)	1.2
Pallet Type:	Wooden STD

DATE:

1401/09/18

DATA Ref: GFI & ISIRI 1409



 SHISHE VA GAZ INDUSTRIAL GROUP design@shoga.net			
NAME: bottle 950			
PRODUCT DATA			
Brimful Capacity	970±14ml		
Filling Capacity	950±14ml		
Weight	530±20g		
COLOUR	FLINT		
Ring	special		
Lebiling	NO		
Printing	NO		
TECHNICAL DATA			
Machining status:			
bb			
Hight (mm)	249±1.6		
Diamtre (mm)	88.6±1.2		
HOT end coating	YES		
cold end coating	YES		
carbonated Level			
Thermoshock MAX (bar)	50		
pressur MAX (bar)			
BODY THICKNESS MM (mm)	1.3		
vertical Durability MAX (mm)	7.2		
PACKING DATA			
Pallet size (cm) 120*100*220			
NR. of Layers	8		
NR.OF PCs in a Layer	169		
Layer Weight (Kg)	93		
NR.OF PCs in a Pallet	1352		
pallet Weight (Kg)	747		
Area Efficiency (m2)	1.2		
Pallet Type: Wooden STD			
code			
NR:			
DATA : 1402/10/27			
Review Date : 2020/07/05		Review Num : 1	
DOCUMENT CODE: QF 1806			

Signature - Designer :

QC :

Customers :

Manager :





شیشه و گاز

SHISHE VA GAZ

NAME:

SHOGA.1000.Je.W1

PRODUCT DATA

Bottle Capacity	1000ml ML
Filling Capacity	1000 ML
Weight	600-10 SF
Color	Flint
Size	50x1
Labeling	NO
printing	NO

TECHNICAL DATA

Machine Status:

PB (5-1/2")

Height (mm)	315x1.6
Diameter (mm)	90-23x1
Hot and Sealing	NO
Cold and Sealing	NO
Carbonated Invol	-
Thermoback Plus (x)	-
Printer Max(Bar)	NO
Body Thickness min (mm)	1.3
Vertical Durability MOK(mm)	5.5

PACKING DATA

Pallet Size(cm)

120x100x237

Nr. of Layers	7
Nr. of PCs in a Layer	170
Layer Weight(kg)	-
Nr. of PCs in a Pallet	1232
Pallet Weight(kg)	700
Area Efficiency(%)	1.2


Pallet Type:

Wooden STD


CODE NR:

DATE:

DATA Ref: GPI & INSD 140P



Isometric view
Scale: 1:30





شیشه و گاز

SHISHE VA GAZ

NAME:
SHOGA.1000.JC.WZ

PRODUCT DATA

Useful Capacity	990±10 ML
Filling Capacity	990 ML
Weight	540±5 GR
Color	FLINT
W.D.	301±1
Labeling	NO
printing	NO

TECHNICAL DATA


Machine Standard	PB (5-1/2")
Height (mm)	282±1.7
Diameter (mm)	75.4±1.3
NO AND COATING	NO
Cold and Sealing	V2
Carbonated Bevs	-
Thermotack Max (C)	-
Pressure Max(bar)	NO
Body Thickness (mm)	1.0
Vertical Durability	MINIMUM 5.0

PACKING DATA

Pallet Size(cm)	120x100x215
No. of Layers	7
No. of PCs in a Layer	100
Layer Weight(kg)	9.7
No. of PCs in a Pallet	1240
Pallet Weight(kg)	71.0
Area Efficiency(m ²)	1.2
Pallet Type:	Wooden STD

DATE:
1401/7/30

DATA Rtr: GPR & UNDO 1409





شیشہ و گاز

SHISHIE VA GAZ

NAME:
SHOXIA 1000 L.S.W

PRODUCT DATA

Netral Capacity	1000-10 MB
Filling Capacity	950 DL
Weight	550-8 08
Color	Flint
Size	25-OF 204
Labelling	80
printing	80

TECHNICAL DATA

Machine Status:	
B&B (5-1/2")	
Height (mm)	277 ± 1.5
Diameter (mm)	90.77 ± 0.21
Hot seal Coating	80
Cold seal Coating	80
Carbonated Invol	-
Thermoset Max (s)	-
Printer Max(Bar)	80
Body Thickness min (mm)	1.3
Vertical Durability 500(mm)	5.0



PACKING DATA

Pallet Size(cm)	
120x100x214	
Nr. of Layers	7
Nr. of PCs in a Layer	169
Layer Weight(kg)	83
Nr. of PCs in a Pallet	1183
Pallet Weight(kg)	881
Area Efficiency(m ²)	1.2
Pallet Type:	
Roadster STD	

CODE NR

MB --- 157
DATE: 1401 / 11 / 02

DATA Ref: GPI & DSD 1409





 www.shoga.net

 +982156230799

 +982156230864

Export Manager
 +989191044184

Internal sales manager
 +989122141332

Head Office: Azadi Square, Tehran, 3rd kilometer of the special road, after Aviation Industry Bridge, in front of Qadr Air Base, No. 61