



CHANMAG

CHANMAG Bakery Machine Co., Ltd.



Your Reliable Partner in Bakery



Profession · Innovation · Sincere · Service

CHANMAG Bakery Machine Co., Ltd. is a professional manufacturer of bakery machines. Promoted own brand CHANMAG in 1996, we have several years of development and bakery machine branding experience.

CHANMAG Competitive Advantage

1. Designing & Planning for Bakery Whole Plant Equipment (for bakery shop, central baking factory grade)
2. Highest quality products for CE approved. In 2009 Certified by SGS as an ISO9001 quality assurance standard, TÜV Rheinland Enterprise Business Capacity Certification.
3. Our goals are to improve our product continuously in order to supply satisfactory bakery equipment for worldwide bakery customers.

Enterprise mission

- Quality First
- Customers' Satisfaction
- Managing Forever



Certificate : TW09/00395



Important Milestones Achieved the MVP of D&B SME Top 1000 Elite Award



Index

page

Mixer 02-04

Horizontal Type Mixer 04

Ice Water Supply System

Dough Divider & Rounder 05

Volumetric Divider & Rounder 06

(for production line)/Silo System

Intermediate Proofer 07

Dough Moulder/Sheeter 08

Proofer 09

Oven 10-11

Slicer 12

Peripheral Equipment 12

Cake/Cookie Production Line 13

Production Line IDEAS 14





CM-MT160SD Twin Twist Mixer

Spiral Mixer

Model	Dough Cap.	Flour Cap.	Power	N. W.	Machine Size (WxDxH)
CM-28D	28 KG	15 KG	1.875 KW	190 KG	560 x 925 x 970 mm
CM-50ED	50 KG	30 KG	3.6 KW	346 KG	590 x 1040 x 1210 mm
CM-80ED	80 KG	50 KG	5.25 KW	446 KG	720 x 1150 x 1260 mm
CM-120D	120 KG	75 KG	6.7 KW	516 KG	810 x 1260 x 1270 mm

* D: Digital Control Panel. Mechanism panel can be produced by customers' needs.

* The moisture content of the dough mixed by the mixer is based on 60%.

Mixer with Removable Bowl

Model	Dough Cap.	Flour Cap.	Power	N. W.	Machine Size (WxDxH)
CM-120ASD	120 KG	75 KG	7.2 KW	762 KG	800 x 1550 x 1350 mm
CM-200AD	200 KG	125 KG	13.85 KW	1290 KG	1050 x 1790 x 1340 mm
CM-240AD	240 KG	150 KG	13.875 KW	1299 KG	1100 x 1890 x 1350 mm
CM-D240AD	240 KG	150 KG	25.5 KW	1740 KG	1170 x 1950 x 1480 mm
CM-MT160SD	160 KG	100 KG	16.85 KW	1470 KG	1020 x 1850 x 1500 mm
CM-MT240ASD	240 KG	150 KG	25.5 KW	1890 KG	1150 x 2040 x 1570 mm

* S: Stainless steel material

* D: Digital Control Panel. Mechanism panel can be produced by customers' needs.



CM-D240AD



CM-240AD



CM-28D



CM-120D

Mixer with Removable Bowl / Lifting-Tilting System



CM-120AS



CM-L200



CM-L200T



CM-200A-B



CM-LH200C

* All specifications are subject to change without notice.



CM-201/301

CM-501/601

Belt Driven Type Planetary Mixer

Model	Bowl Cap.	Mixing (Dough)	Power	N. W.	Machine Size (WxDxH)
CM-101	10 L	1 KG	0.25 KW	60 KG	430 x 430 x 660 mm
CM-201	20 L	3 KG	0.375 KW	90 KG	540 x 520 x 850 mm
CM-301	30 L	6 KG	0.75 KW	150 KG	640 x 670 x 1030 mm
CM-401	40 L	9 KG	1.125 KW	170 KG	640 x 660 x 1060 mm
CM-501	50 L	12 KG	1.5 KW	200 KG	680 x 700 x 1090 mm
CM-601	60 L	22 KG	2.25 KW	400 KG	880 x 800 x 1390 mm
CM-801	80 L	33 KG	3.75 KW	480 KG	1020 x 820 x 1400 mm
CM-1201	150 L	44 KG	5.625 KW	550 KG	1150 x 1040 x 1480 mm



CM-SP800



CM-3220N

Gear Driven Type Planetary Mixer

Model	Bowl Cap.	Mixing (Dough)	Power	N. W.	Machine Size (WxDxH)
CM-SP800	8 L	1 KG	0.25 KW	25 KG	350 x 420 x 580 mm
CM-3220	20 L	3 KG	0.562 KW	95 KG	530 x 500 x 800 mm
CM-301A	30 L	9 KG	0.75 KW	160 KG	550 x 660 x 1200 mm
CM-401A	40 L	12 KG	1.125 KW	190 KG	600 x 680 x 1250 mm
CM-501A	50 L	15 KG	1.5 KW	200 KG	600 x 680 x 1250 mm
CM-603A	60 L	22 KG	1.5 KW	520 KG	1150 x 760 x 1520 mm
CM-803A	80 L	33 KG	2.25 KW	570 KG	1150 x 760 x 1520 mm

* Optional: N - Safety Guard, H - Higher Stand Type

* D: Digital Control Panel. Mechanism panel can be produced by customers' needs.



CM-301AN



CM-401AN/501AN



CM-803AH

Planetary Mixer with Twin Wire Whip Type

Model	Bowl Cap.	Power	N. W.	Machine Size (WxDxH)
CM-25W	25 L	0.75 KW	126 KG	630 x 670 x 1410 mm
CM-40W	40 L	0.75 KW	135 KG	650 x 670 x 1410 mm
CM-60W	60 L	2.25 KW	500 KG	920 x 1080 x 1750 mm
CM-100W	100L	3.75 KW	600 KG	1000 x 1090 x 1770 mm



* Accessories



CM-803AH trolley



* Optional



CM-40W



CM-100W

* All specifications are subject to change without notice.

Horizontal Type Mixer



FUJII Technical Cooperation



CM-240HSD

Horizontal Type Mixer

Model	Dough Cap.	Flour Cap.	N. W.	Machine Size (WxDxH)
CM-240H	270 KG	150 KG	3697 KG	2320 x 1480 x 2240 mm
		Power (Hook)		11.2(L)/22.4(H) KW
		Power (Bowl)		1.5 KW
		High Speed		76 RPM
		Low Speed		38 RPM

* CM-240H-SD (S: Stainless steel material) (D: Digital HMI Panel)

* Optional Ice Water Supply System



Digital HMI Panel



Z type Hook



Cooling System



CM-L200D Gantry Cylinder Lifting Machine

Ice Water Supply System



Model	Power	Capacity	N. W.	Machine Size (WxDxH)
CM-C100	2.2 KW	100 L/hr	165 KG	700 x 800 x 1620 mm
CM-C150	2.6 KW	150 L/hr	200 KG	700 x 900 x 1720 mm
CM-C250	4.3 KW	250 L/hr	310 KG	800 x 1000 x 1900 mm
CM-W99	30 W	Water dosing max99.9L	6 KG	200 x 170 x 260 mm

* Machine size not include condenser.



Water Dosing



Condenser

* All specifications are subject to change without notice.

Dough Divider & Rounder



CM-A30A

CM-30A



Fully-Auto. Dough Divider & Rounder

Model	Division	Dough Weight	Specification
CM-A36A	36 pcs	10~40 g	Power: 0.75 KW
CM-A30A	30 pcs	30~100 g	Hydraulic Power: 0.75 KW
CM-A36B	36 pcs	30~100 g	N. W.: 421 KG
CM-A30B	30 pcs	40~120 g	Size: 706 x 696 x 1640 mm (WxDxH)
CM-A22A	22 pcs	50~150 g	Option: Casters set

Semi-Auto. Dough Divider & Rounder

Model	Division	Dough Weight	Specification
CM-36A	36 pcs	10~40 g	Power: 0.75 KW
CM-30A	30 pcs	30~100 g	N. W.: 330 KG
CM-36B	36 pcs	30~100 g	Size: 640 x 780 x 2050 mm (WxDxH)
CM-30B	30 pcs	40~120 g	Option: Casters set
CM-22A	22 pcs	50~150 g	



* Basic type: CM-30AC, CM-30BC

Hydraulic/Electrical Dough Dividing machine

Model	Division	Dough Weight	Power	N. W.	Machine Size (WxDxH)
CM-H20DM	20pcs	150~800 g/pc	1.5 KW	352 KG	865 x 862 x 1928 mm
CM-H20D	20 pcs	150~800 g/pc	1.5 KW	325 KG	638 x 664 x 1200 mm
CM-20RD	20 pcs	150~800 g/pc	1.5 KW	396 KG	638 x 768 x 1176 mm
CM-H20P	Flatten	3~16 kg	1.5 KW	325 KG	638 x 664 x 1200 mm
CM-336	36 pcs	35~100 g/pc	0.19 KW	120 KG	420 x 520 x 1220 mm
CM-536A	36 pcs	30~100 g/pc	n/a	60.5 KG	500 x 380 x 610 mm

Hydraulic/Electrical Dough Dividing Machine



CM-536A

CM-336

CM-H20D

CM-20RD

CM-H20DM

* All specifications are subject to change without notice.

Volumetric Divider & Rounder



RH1PD-90

Volumetric Divider

Model	Dough Weight	Capacity	Power	N. W.	Machine Size (WxDxH)
RH1PD-90	40~400 g/pc	Max. 2400 pcs/hr	1.5 KW	550 KG	720 × 1800 × 1600 mm
RH1PD-110	60~600 g/pc				
RH1PD-120	100~1000 g/pc				
RH1PD-135	140~1400 g/pc				



CM-DM42

4/2, 6/3, 8/4 pockets Auto Divider series

Model	Dough Weight	Capacity	Power	N. W.	Machine Size (WxDxH)
CM-DM42	4: 30~320 g/pc 2: 80~740 g/pc	3600~6000 1800~3000	1.3 KW	830 KG	exit L 1980 × 1440 × 1700 mm exit R 1980 × 1440 × 1700 mm
CM-DM63	6: 20~160 g/pc 3: 40~450 g/pc	5400~8280 2700~4140			
CM-DE6	50~400 g/pc	3600~7200	2.4 KW	1430 KG	exit L 2325 x 1820 x 1690 mm exit R 2325 x 1820 x 1690 mm
CM-DE8	30~270 g/pc	4800~9600			
CM-DE84	8: 30~270 g/pc 4: 80~600 g/pc	4800~9600 2400~4800			
CM-DE63	6: 50~400 g/pc 3: 100~850 g/pc	3600~7200 1800~3600			



CM-DE6

Rounder / Conical Rounder

Model	Dough Weight	Capacity	Power	N. W.	Machine Size (WxDxH)
CM-1000RC	50~500 g/pc	2000~3600	0.75 KW	310 KG	900 x 1050 x 1522 mm
CM-1000VRF	30~500 g/pc	3000~7000	2.25 KW	750 KG	1000 x 1200 x 1870 mm
CM-1200VRF	30~400 g/pc	3000~9000	2.25 KW	922 KG	1120 x 1420 x 1880 mm




CM-1000VRF / CM-1200VRF



CM-1000RC

Flour tank storage, Transporting, Scaling, Shifting, Design, Manufacture, Setting

SILO System



Silo System side view illustration

* All specifications are subject to change without notice.



CM-M188



CM-S140



CM-M54/1T

Optional Feature



Heating



Humidity



Flour Duster Device

Intermediate Proofer series

Model	Capacity (12min/time)	Dough Range	Power	Machine Size (WxDxH)
CM-X28/9 (T)	1240 pcs/hr	250~1100 g/pc	0.75 KW	2350 x 1850 x 2500 mm
CM-L76/8	2560 pcs/hr	250~700 g/pc	0.75 KW	3150 x 3500 x 2550 mm
CM-M32/1(T)	1485 pcs/hr	100~400 g/pc	0.75 KW	2150 x 1700 x 2150 mm
CM-M54/1(T)	2640 pcs/hr	30~400 g/pc	0.75 KW	2200 x 1850 x 2600 mm
CM-M74 (T)	3400 pcs/hr	100~400 g/pc	0.75 KW	2000 x 2300 x 2600 mm
CM-M90	3700 pcs/hr	30~400 g/pc	1.11 KW	3145 x 4570 x 2857 mm
CM-M100	3950 pcs/hr	30~400 g/pc	0.75 KW	3000 x 3900 x 2600 mm
CM-M124	5250 pcs/hr	30~400 g/pc	1.5 KW	2950 x 4000 x 3050 mm
CM-M162	7150 pcs/hr	30~400 g/pc	1.5 KW	2950 x 4000 x 3350 mm
CM-M188U	7900 pcs/hr	30~400 g/pc	1.5 KW	3600 x 6400 x 3250 mm
CM-M250	8400 pcs/hr	30~400 g/pc	1.7 KW	6000 x 5000 x 3400 mm
CM-S82	3050 pcs/hr	30~150 g/pc	0.75 KW	2700 x 3100 x 2550 mm
CM-S140	5750 pcs/hr	30~150 g/pc	0.75 KW	2700 x 4050 x 2550 mm
CM-S188	8150 pcs/hr	30~150 g/pc	0.75 KW	2700 x 4100 x 2900 mm

* CM-X28/9 capacity 10min/time, Capacity requirements can be customized.

* T: means flip basket (Customized)



Nylon net cap



UV disinfection light

Input and Output Direction



Input: Right



Input: Left



Input: L. Side



Output: Both



Output: Middle



Output: R. or L.

* All specifications are subject to change without notice.


CM-246S

CM-320A

CM-350A

CM-535SD

CM-3460BL

CM-750

CM-F500B

Dough Moulder (Long-loaf/Short Toast)

Model	Moulding	Roller Gap	Capacity pcs/hr	Power	N. W.	Machine Size (WxDxH)
CM-246S	30~400 g/pc	0~18 mm	3000 pcs/hr	0.4 KW	150 KG	560 x 1220 x 1142 mm
CM-210	30~400 g/pc	1~31 mm	900 pcs/hr	0.19 KW	60 KG	900 x 580 x 490 mm
CM-238	30~400 g/pc	1~20 mm	3000 pcs/hr	0.75 KW	220 KG	670 x 1400 x 1100 mm
CM-350A	30~800 g/pc	1~20 mm	3000 pcs/hr	0.75 KW	331 KG	850 x 2100 x 1450 mm
CM-550	30~500 g/pc	1~20 mm	6000 pcs/hr	0.75 KW	335 KG	980 x 1820 x 1450 mm
CM-3460	30~450 g/pc	1~18 mm	4000 pcs/hr	0.75 KW	455 KG	780 x 1790 x 1370 mm
CM-3460BL	30~300 g/pc	1~18 mm	8000 pcs/hr	1.50 KW	720 KG	1150 x 2200 x 1500 mm
CM-320A	30~800 g/pc	0~31 mm	1200 pcs/hr	0.4 KW	125 KG	870 x 600 x 1070 mm

Dough Moulder (Baguette/Russian Bread) & Rolling Moulder

Model	Moulding	Roller Gap	Capacity	Power	N. W.	Machine Size (WxDxH)
CM-750	50~1000 g/pc	10~43 mm	1200 pcs/hr	0.75 KW	229 KG	980 x 850 x 1540 mm
CM-750TC	50~1000 g/pc	10~43 mm	n/a	1.05 KW	317 KG	980 x 1500 x 1540 mm
CM-F500B	30~2500 g/pc	10~43 mm	3000 pcs/hr	0.75 KW	221 KG	925 x 1050 x 1220 mm
CM-535SD	10~15 KG/Times	4~23 mm	n/a	2.25 KW	610 KG	1020 x 1260 x 1360 mm
CM-535SM	10~15 KG/Times	4~23 mm	n/a	2.25 KW	610 KG	1020 x 1260 x 1360 mm

* S: stainless steel material * D: Digital Control Panel * M: Touch Panel

Dough Sheeter


CM-520B

CM-450A


* All specifications are subject to change without notice.



CM-4RP

Spray Trolley Proofer / Spray Proofer

Model	Capacity	Power	N. W.	Machine Size (WxDxH)
CM-2RP	2 rack	2 KW	150 KG	140 x 94 x 207 cm
CM-4RP	4 rack	3.3 KW	300 KG	150 x 180 x 207 cm
CM-6RP	6 rack	4.4 KW	420 KG	190 x 180 x 207 cm
CM-16P	16 tray/1 door	0.8 KW	100 KG	59 x 90 x 192 cm
CM-32P	32 tray/2 door	2.0 KW	150 KG	117 x 90 x 192 cm
CM-48P	48 tray/3 door	2.5 KW	150 KG	166 x 90 x 192 cm

General Proofer

Model	Capacity	Power	N. W.	Machine Size (WxDxH)
CM-18P	18 tray	1.7 KW	100 KG	73 x 89 x 207 cm
CM-36P	36 tray	2.2 KW	150 KG	121 x 89 x 207 cm



CM-36P



CM-36F

Retarder Proofer

Model	Capacity	Power	N. W.	Machine Size (WxDxH)
CM-18F	18 tray	1.1 KW	200 KG	75 x 89 x 212 cm
CM-36F	36 tray	2.2 KW	280 KG	125 x 89 x 212 cm
CM-2RF	2 rack	2.3 KW	300 KG	151 x 96 x 224 cm
CM-4RF	4 rack	This is a special specification. The machine size is determined based on the actual trolley size.		
CM-6RF	6 rack			

* Proofer requirements can be customized

Steam Generator series

Model	Capacity	Power	N. W.	Machine Size (WxDxH)
CM-S100	4~6 Rack	3.6 KW	60 KG	45 x 28 x 170 cm
CM-S200	6~8 Rack	6.6 KW	70 KG	77 x 28 x 170 cm
CM-S300A	3~5 Big Rack	6.5 KW	38 KG	55.5 x 25 x 185 cm

* Tray Size: 46 x 72 cm

* Rack Size: 52 x 72 x 175 cm (WxDxH)

* Big Rack Size: 79 x 93 x 178 cm (WxDxH)



CM-S300A

CM-S100/S200

* All specifications are subject to change without notice.


CM-ECD306A

CM-ECD306D

CM-G306

CM-G824RLO

Electric Deck Oven

Model	Power	Capacity	Tray size	N. W.	Machine Size (WxDxH)
CM-ECD102A	6 KW	1 deck / 2 tray	46 x 72 cm	206.5 KG	140 x 100 x 50 cm
CM-ECD204A	12 KW	2 deck / 4 tray	46 x 72 cm	432 KG	140 x 100 x 100 cm
CM-ECD306A	19 KW	3 deck / 6 tray	46 x 72 cm	566 KG	140 x 100 x 168 cm
CM-ECD103A	9 KW	1 deck / 3 tray	46 x 72 cm	266 KG	188 x 100 x 50 cm
CM-ECD206A	18 KW	2 deck / 6 tray	46 x 72 cm	532 KG	188 x 100 x 100 cm
CM-ECD309A	27 KW	3 deck / 9 tray	46 x 72 cm	793 KG	188 x 100 x 168 cm
CM-ECD104A	9 KW	1 deck / 4 tray	40 x 60 cm	266 KG	170 x 119 x 55 cm
CM-ECD208A	18 KW	2 deck / 8 tray	40 x 60 cm	532 KG	170 x 119 x 100 cm
CM-ECD312A	30 KW	3 deck / 12 tray	40 x 60 cm	800 KG	170 x 119 x 168 cm
CM-ECD306AS	21 KW	3 deck / 6 tray	46 x 72 cm	566 KG	140 x 110 x 168 cm

* If the oven equipped with the steam function, the power will increase 1 KW in each deck.

* S: Stainless steel material

Electric Deck Oven - Touch Panel

Model	Power	Capacity	Tray size	N. W.	Machine Size (WxDxH)
CM-ECD204D	12 KW	2 deck / 4 tray	46 x 72 cm	432 KG	140 x 100 x 100 cm
CM-ECD306D	19 KW	3 deck / 6 tray	46 x 72 cm	650 KG	140 x 108 x 168 cm
CM-ECD206D	18 KW	2 deck / 6 tray	46 x 72 cm	532 KG	188 x 100 x 100 cm
CM-ECD309D	27 KW	3 deck / 9 tray	46 x 72 cm	800 KG	188 x 108 x 168 cm
CM-ECD208D	18 KW	2 deck / 8 tray	40 x 60 cm	532 KG	170 x 120 x 100 cm
CM-ECD312D	27 KW	3 deck / 12 tray	40 x 60 cm	800 KG	170 x 126 x 168 cm
CM-ECD408DFI	24 KW	4 deck / 8 tray	40 x 60 cm	900 KG	131 x 88 x 176 cm

* If the oven equipped with the steam function, the power will increase 1 KW in each deck.

Gas Deck Oven

Model	Gas Consumption (LPG)	Capacity	Tray size	N. W.	Machine Size (WxDxH)
CM-G306	0.75 Kg/hr	3 deck / 6 tray	46 x 72 cm	680 KG	140 x 111 x 180 cm
CM-G309	1.35 Kg/hr	3 deck / 9 tray	46 x 72 cm	890 KG	198 x 111 x 180 cm

Revolving Oven

Model	Power	Burner	Baking Basket	N. W.	Machine Size (WxDxH)
CM-HS624	0.75 KW	Gas / Diesel	24 tray	2300 KG	285 x 311 x 248 cm
CM-HS636	1.125 KW	Gas / Diesel	36 tray	2600 KG	377 x 311 x 248 cm
CM-G824RLO	0.8 KW	Gas	24 tray	1500 KG	225 x 225 x 225 cm

* Tray Size: 46 x 72 cm


CM-HS636

* All specifications are subject to change without notice.



CM-404



CM-G404

Convection Oven

Model	Power	Capacity	Deck Size	N. W.	Machine Size (WxDxH)
CM-404	5.5 KW	4 trays	40 x 60 cm	100 KG	76 x 110 x 50 cm
P(Proofer)	1.7 KW	16 trays	40 x 60 cm	100 KG	76 x 110 x 100 cm
CM-406(D)	7 KW	6 trays	40 x 60 cm	130 KG	76 x 110 x 69 cm
CM-G404(D)	0.5 KW/Gas	4 trays	40 x 60 cm	115 KG	90 x 101 x 55 cm
CM-G505(D)	0.5 KW/Gas	5 trays	40 x 60 cm	130 KG	90 x 102 x 64 cm



CM-406D+R



CM-404+P



CM-120ML

Rotary Rack Oven

Model	Power / Fuel	Capacity	N. W.	Machine Size (WxDxH)
CM-100A	3 KW Gas/Diesel 60 KW	32 tray/rack	2500 KG	227 x 203 x 247 cm
CM-60RO	45 KW Electricity 3KW Gas/Diesel	16 tray/rack	1400 KG	130 x 222 x 243 cm
CM-120RO	65 KW Electricity 3.375 KW Gas/Diesel	32 tray/big rack	1900 KG	160 x 260 x 243 cm
CM-120ML	3.375 KW Gas/Diesel	32 tray/rack	1900 KG	155 x 200 x 220 cm

* Touch panel, Machine Size and Tray Size can be customized.

* CM-120ML Tray size: 40 x 60 cm



CM-100A


Tunnel Oven



* All specifications are subject to change without notice.



CM-302



CM-S101

Slicer/Toast Peel Machine Series

Model	Function	Power	N. W.	Machine Size (WxDxH)
CM-302	slicing	0.18 KW	70 KG	630 x 710 x 680 mm
CM-302L	slicing	0.18 KW	80 KG	730 x 710 x 680 mm
CM-S101	slicing	0.25 KW	30 KG	550 x 350 x 330 mm
CM-S201	peeling	0.5 KW	35 KG	710 x 420 x 420 mm

Hamburger/Hot Dog Bread Slicer

Model	Power	N. W.	Machine Size (WxDxH)
CM-SL30	0.4 KW	35 KG	360 x 670 x 600 mm



CM-SL30

Auto Bread/Toast Slicer Packing

Model	Capacity	Power	N. W.	Machine Size (WxDxH)
CM-S30A	1800 loaves/hr	3 KW	450 KG	750 x 1700 x 2070 mm
CM-PL-102	1000~1500 pcs/hr	0.8 KW	250 KG	501 x 2760 x 905 mm



CM-PL-102

CM-S30A

Peripheral Equipment

Greaser CM-DJ150



Capacity: Max. 1200 trays/hr
(tray: 40x60cm)
Power: 0.4 KW
Size: 1550 x 797 x 1420 mm

Tray/Loaf Pan



Fryer



Racks



Freezer



Showcase



Ice Maker



Cake Production Line



Model	Function	Power	N. W.	Machine Size (WxDxH)
CM-CP510	Filling	1.2 KW	350 KG	1500 x 930 x 1400 mm
CM-DP302	Filling	0.2 KW	220 KG	1600 x 1000 x 1400 mm
CM-680	Filling	2.5 KW	380 KG	1850 x 1100 x 1550 mm
CM-SL609L	Slicing	0.4 KW	110 KG	900 x 1380 x 1150 mm
CM-CP630	Slicing	1.2 KW	380 KG	1200 x 1110 x 1470 mm
CM-L603 (L803)	Lifting	0.375 KW	420 KG	1177 x 852 x 2100 mm



CM-DP302



CM-SL609L



CM-CP630



CM-CP502



CM-A401

Cookie / Biscuit Line

Model	Function	Power	N. W.	Machine Size (WxDxH)
CM-CP502	25 line/min Cookie	0.9 KW	300 KG	1500 x 860 x 1350 mm
CM-A401	80-200 kg/hr Biscuit	0.37 KW	230 KG	1350 x 820 x 1250 mm
CM-CP550	Cake/Cookie	1.125 KW	350 KG	1500 x 980 x 1500 mm

Breadcrumbs Line



* All specifications are subject to change without notice.

Bread Production Line

20~400 g/pc, 3000~9000 pcs/hr (Review by case)



Hamburger Production Line

30~150 g/pc, 4000 pcs/hr



Hot Dog Production Line

30~150 g/pc, 4000 pcs/hr



* All specifications are subject to change without notice.



CHANMAG Bakery Machine Co., Ltd.

8F, No.88-1 Min Chuan Rd., Xindian District, New Taipei City, Taiwan (231628)

International Division	Tel: +886-2-8667 6060	Fax: +886-2-8667 1882
Head office/Factory	Tel: +886-5-295 6390	Fax: +886-5-295 5113
Domestic & Service Dept.	Tel: +886-2-2680 5715	Fax: +886-2-2668 7825
Thailand Rep. Office	Tel: +66-2-398 2517	Email: chanmag_thai@yahoo.com
Indonesia Rep. Office	Tel: +62-813-3888 4781	Email: chanmagindonesia@gmail.com
Shanghai Rep. Office	Tel: +86-21-6493 3571~3	Email: 111111111@qq.com
Quanzhou Rep. Office	Tel: +86-131-2796 4530	Email: shchenmay@126.com

www.CHANMAG.com.tw

E-mail: chanmag@ms24.hinet.net

