



SAN TUNG

AUTOMATIC PACKAGING MACHINES

SPECIALIZED IN MANUFACTURING WHOLE PLANT OF

- PUDDING • YOGURT • TO-FU • JELLY • ICE CREAM
- MINERAL WATER • SEAFOOD • MEAT & VEGETABLE



三統機械工業有限公司

SAN TUNG MACHINE INDUSTRY CO., LTD.

24256 新北市新莊區民安路29號

TEL: 886-2-29036445 • 29064565 FAX: 886-2-29044359

No. 29, Ming An Rd., Xin Zhuang Dist.,

24256, New Taipei City, Taiwan

<http://www.santung.com>

E-mail: stmi@ms27.hinet.net



APPLICATIONS :

Sugar, Salt, Tea, Seasoning,
Coffee, Medicine Powder, Seeds,
Nuts, Candy, Peanuts etc.



ERL

AUTOMATIC (Volumetric cup type) VERTICAL PACKING MACHINE

FEATURES

- The unit is suitable for diversified products of automatic weighing & packing. Ease of operating, dimension adjusting and high-speed packing.
- Integrated operations are accessible in this packing machine.
- It can be equipped with date coder that can print date, batch number etc. on the packing foils.

Model	ERL-1	ERL-2	ERL-3
Specifications			
Capacity (Bag/Min) According to the product	40-50	40-50	30-50
Weighing Range	1g - 10g	10g - 50g	50g-100g
Electric Power	AC 220V 1/4 HP single phase	AC 220V 1/4 HP single phase	AC 220V 1/4 HP single phase
Dimensions L×W×H m/m	700×1000×1700	900×1000×1900	1000×1200×2000

* AIR COMPRESSOR EXCLUDED

ARF

AUTOMATIC HIGH CONCENTRATION VOLUMETRIC PACKING MACHINE

FEATURES

- The machine applies to pack high concentrate, low viscosity liquid products. High temperature liquid is available to fill up.
- Operate with automatic measuring, filling, sealing and cut-off. With electronic eye sensor can perform accurate alignment and pitch of package.
- It can be equipped with date coder to print date and batch number on packing foil.



APPLICATIONS :

Curry paste, Meat sauce, Ketchup,
Chili sauce, etc.



Model	ARF-1	ARF-2
Specifications		
Capacity (Bag/Min) According to the product	30 - 40	25-35
Weighing Range	10g-100g	100g-350g
Electric Power	AC 220V 3 phase 2 HP	AC 220V 3 phase 2 HP
Dimensions L×W×H m/m	900×700×1900	1000×800×1900

* AIR COMPRESSOR EXCLUDED



APPLICATIONS :

Sugar, Salt, Tea, Seasoning,
Coffee, Medicine, Powder, Seed,
Sweet, Nuts, Candy, Peanut etc.



CRL

AUTOMATIC COMPUTERIZED WEIGHING & PACKING MACHINE

FEATURES

- This machine is controlled under microcomputer, with precise measurement, high speed packing and easy for adjusting dimensions.
- It operates in automatic weighing, packing, cutting process.
- Using this machine may increase the value of product.

Model	CRL-1	CRL-2	CRL-4
Specifications			
Capacity (Bag/Min) According to the product	15-20	25-30	35-50
Electric Power	AC 220V 1/4 HP single phase	AC 220V 1/2 HP single phase	AC 220V 1/2 HP single phase
Dimensions L×W×H m/m	700×1000×1700	900×1000×1900	1000×1200×2000

* AIR COMPRESSOR EXCLUDED



APPLICATIONS :

Grain, Seasoning, Peanuts, Bean, Melon Seeds, Candy, Pastille, Liquid various kinds of Powder, etc.



CRL - G

AUTOMATIC WEIGHING & PACKING MACHINE

FEATURES

- This machine is controlled under microcomputer, with precise measurement, high speed packing and easy for adjusting dimensions.
- The filling device is customized, the options are cup dosing, multi-weigher, auger filler. This machine has the versatility characteristic.
- Using this machine may increase the value of product.

Model	GRL-G1	GRL-G2	GRL-Q
Specifications			
Capacity (Bag/Min) According to the product	30-50	30-50	15-40
Weighing Range	100g-500g	600g-1Kg	100g-500g
Electric Power	AC 220V 1/4 HP single phase	AC 220V 1/2 HP single phase	AC 220V 1/2 HP single phase
Dimensions L×W×H m/m	700×1000×1700	900×1000×1900	1000×1200×2000

* AIR COMPRESSOR EXCLUDED

* Feeding/output conveyor option

AGM

AUTOMATIC BAG PACKING MACHINE



FEATURES

- The machine can be equipped with volumetric dispenser for solid, grain and liquid products.
- Machine incorporates with bag feeding, dating, filling, sealing and discharging, all function works automatically.
- Option: Weighing machine, liquid, machine, supply conveyor.

APPLICATIONS :

Grain, Seasoning, Peanuts, Bean, Melon Seeds, Candy, Pastille, Liquid various kinds of Powder, etc.



Model	AGM
Specifications	
Capacity	Max 20-30 Bag/Min (According to the product)
Bag Size	W 100-200 ~ L 150-300 m/m
Filling Quantity	Max 2 Kg
Electric Power	AC220V~440V 2HP
Air Compressor	7.5 HP
Machine Dimensions	L1700×W1700×H1650 m/m

* AIR COMPRESSOR EXCLUDED

SM Series

CONTINUOUS HEAT SEALING MACHINE

FEATURES

- This machine is conveyed by belt.
- Use indirect heating and sealing, and pressure can be controlled automatically.

APPLICATIONS :

PP, PE bag, moisture proof bag, aluminum foil bag etc.



SM-H



SM-V

Model	SM-V Vertical	SM-H Horizontal
Specifications		
Capacity (M/Min) According to the product	8 M / Min	8 M / Min
Electric Power	AC 220V /110V 1KW	AC 220V /110V 1KW
Dimensions L×W×H m/m	1600×550×1500	1410×580×1120



APPLICATIONS :

Detergent, Biscuit, Candy,
Flour, Seasoning, Medicine,
etc.

CWM

AUTOMATIC COMPUTERIZED WEIGHING & FILLING MACHINE

FEATURES

- The machine is controlled by microcomputer, fast and easy to operate.
- With precise measurement and low maintenance, the machine performs highly efficient.
- As customer's requirement, can be integrated other machine to enhance the productivity.

Model	CWM
Specifications	
Capacity (Bag/Min)	5-15
Accuracy	$\pm 1/100 - \pm 1/200$
Weighing Range	CWM- 50 30g - 100g CWM- 100 100g - 500g CWM- 500 500g - 2kg CWM- M 2kg - 10kg CWM- L 10kg - 50kg
Electric Power	AC 110V/200V
Dimensions L×W×H m/m	1000×550×1875

EWM

POWDER WEIGHING & FILLING MACHINE

FEATURES

- This is an auger type, powder and granule filling machine.
- Weighing and filling work in hermetically sealed chamber, which can eliminate mistake and waste by operators.
- Can be integrated with continuous sealing machine to complete the packaging.
- It can cope with continuous heat sealing machine



APPLICATIONS :

Granule, Milk powder, Toner,
Detergent, Powder Medicine,
etc.

Model	EWM-S
Specifications	
Capacity (Bag/Min)	8-20 (According to the product)
Accuracy	$\pm 1/100$ - $\pm 1/200$
Weighing Range EWM- S50 EWM- S100 EWM- S500 EWM- SM	30g - 100g 100g - 500g 500g - 2kg 2kg - 10kg
Electric Power	AC 110V/200V
Dimensions L×W×H m/m	1000×550×1875

AST

AUTOMATIC CUP FILLING & SEALING MACHINE

FEATURES

- This machine is design for packing cup shape container, with cup dispensing, filling, sealing, cutting and extruding are fully automated.
- The operation is under pneumatic control. The housing and parts are made by stainless steel.
- It is hygienic, reliable, and good looking; indeed it is the best instrument for food packing industry.



APPLICATIONS :

Jelly, Pudding, Bean paste,
Mineral water, Juice, Soups, Ice
Cream, Snack , Frozen food, etc.



Model Specifications	AST-1	AST-2	AST-3	AST-4	AST-6	AST-8	AST-10	AST-12
Capacity (Cup/Min) According to the product	15-20	30-40	50-60	60-80	100-120	140-160	160-200	180-240
Air Compressor	2 HP	3 HP	5 HP	5 HP	7.5 HP	7.5 HP	10 HP	10 HP
Electric Power	AC 220V 1/2HP	AC 220V 1HP	AC 220V 1HP	AC 220V 5HP	AC 220V 5HP	AC 220V 7.5HP	AC 220V 7.5HP	AC 220V
Dimensions L×W×H m/m	2500×500×1700	3000×600×1700	3000×600×1700	3500×700×1700	3500×700×1700	3500×700×1700	3500×700×1700	3500×700

* AIR COMPRESSOR EXCLUDED

RDM

AUTOMATIC ROTARY CUP (PRE-CUT LID) FILLING & SEALING MACHINE



FEATURES

- This is the rotary automatic packaging machine for trays and cups sealing purposes.
- The sealing style is by Pre-cut lid. The machine is for the packaging of various products.
- The operation is easy, and labor can be reduced relatively.

APPLICATIONS :

Jelly, Pudding, Bean curd, Mineral water, Juice, Soups, Frozen food, etc.



Model Specifications	RDM-1	RDM-2	RDM-4
Capacity (Cup/Min) According to the product	18-20	36-40	60-80
Air Compressor	2 HP	5 HP	5 HP
Electric Power	AC 220V 3 phase 1/2HP	AC 220V 3 phase 1/2HP	AC 220V 3 phase 2HP
Dimensions L×W×H m/m	1300X1300X1600	1500X1500X1600	1700X1700X1600

* AIR COMPRESSOR EXCLUDED

CST

AUTOMATIC SMALL CUP FILLING & SEALING MACHINE

FEATURES

- The operations of this machine from cup dispensing, filling, sealing, cutting and emitting are fully automated.
- The operation is under pneumatic control. The housing and parts are made by stainless steel.
- It is hygienic, reliable, and good looking; indeed it is the best instrument for food packing industry.

APPLICATIONS :

Jelly, Pudding, Bean curd, Juice,
Soups, Ice Cream, Snacks,
Mineral water, Frozen food, etc.



Model	CST-6	CST-8	CST-10	CST-12	CST-24
Specifications					
Capacity (Cup/Min) According to the product	100-120	140-160	180-200	200-240	400-480
Air Compressor	2 HP	3 HP	5 HP	5 HP	7 HP
Electric Power	AC 220V 1HP	AC 220V 1HP	AC 220V 1HP	AC 220V 2HP	AC 220V 2HP
Dimensions L×W×H m/m	2500×500×1700	3000×800×1700	3000×800×1700	3000×700×1700	4000×1200×1700

* AIR COMPRESSOR EXCLUDED



BST

CONTINUOUS TRAY BEAN CURD FILLING & SEALING MACHINE

FEATURES

- The machine is special designed for Tray Bean Curd filling and sealing. Continuous process can pack rapidly with no froth.
- Incorporate with tray dispensing, filling, sealing, cutting and extruding are fully automated.
- The operation is under pneumatic control. The housing and parts are made by stainless steel. It is hygienic, reliable.



APPLICATIONS :

Bean curd, Bean jelly, etc.



Model	BST-1	BST-2	BST-3	BST-4
Specifications				
Capacity (Cup/Min) According to the product	20-30	30-50	60-80	80-100
Air Compressor	3 HP	3 HP	5 HP	5 HP
Electric Power	AC 220V 3 phase 1/2HP	AC 220V 3 phase 1HP	AC 220V 3 phase 1HP	AC 220V 3 phase 2HP
Dimensions L×W×H m/m	1200×1200×1600	1200×1200×1600	3500×1500×1700	4000×1200×1700

* AIR COMPRESSOR EXCLUDED



三統機械工業有限公司

SAN TUNG MACHINE INDUSTRY CO., LTD.

24256 新北市新莊區民安路29號

TEL:886-2-29036445 · 29064565 FAX:886-2-29044359

No.29,Ming An Rd.,Xin Zhuang Dist.,

24256,New Taipei City,Taiwan

<http://www.santung.com>

E-mail:stmi@ms27.hinet.net