



ASIAN PACKING MACHINERY PVT. LTD.

OFFICE & FACTORY:

Plot No. 4, Parvesh Marg Rly Road, OLD Faridabad (HR) 121002 INDIA

TEL: +91 129 2268786, 2220371


UNIT 2nd

Plot No 1, Wazirpur Road, Wazirpur Village, Greater Faridabad 121002 (HR) INDIA

TEL: +91 129 2297796, 4646773

E-mail: info@asianpackingmachinery.com Web: www.asianpackingmachinery.com

Offices : Guwahati, Siliguri, Kolkata, Mumbai, Jodhpur, Sangli, Pune, Mangalore, Bangalore, Cochin, Ahmedabad





Exporting to more than countries world wide







































BANGLADESH

















NIGERIA



MOZAMBIQUE









ARGENTINA



ETHIOPIA





















NEPAL



MEXICO



















SUDAN







YEMEN





ZIMBABWE

SOMALIA























01



ASIAN PACKING MACHINERY PVT, LTD.

COMPANY

Asian Packing Machinery Pvt. Ltd. began in 1990 with a decision to produce the best packaging machinery possible for world-wide market. We are one of the most prominent names among the manufacturers, exporters, and suppliers of all type of pouch packing machines,. Our range of Automatic Packing Machine includes VFFS Machine with multi-head Weigher, VFFS Machine with volumetric Cup Filler, VFFS Machine with Servo Auger Filler, VFFS Machine for Small Sachet

Our engineers are not limited to yesterday¹s technology. New highly efficient, mechanical and electrical components are available and we are following the latest technology. Every machine component is designed with reliability, longevity, durability and a minimum of operator involvement as its top priorities. Our Machineries are highly appreciated by our clients for its high performance, durability, low maintenance and less power consumption.

Asian Packing Machinery Pvt. Ltd. vision is to be the leading global resource for packaging, and its mission is to improve and promote members abilities to succeed in a global marketplace. We understand the importance and necessity for going the extra mile in today's business environment. We are globally renowned for making the highest quality equipment, offering responsive service and committing to meeting their customers needs. We are able to offer accurate delivery dates, control pricing, reduce our customers parts inventory. We have developed the good working relationships with many of our clients. They are satisfied with our products and after sale services.

Our Motto

"We promise to deliver the best products to our clients, at the best possible prices with highest standards of quality."




Quality makes us different

VFFS Series
AMP 100
With Multihead
Weigher

Packing Your Success Stories













Automatic Form Fill & Seal Machine with Multihead Weigher for **Chips, Fryms, Namkeen, Snacks, Soya Chunks, Etc.**

Technical Specification

Packing Range : 10gm to 200gm

Filling System : (Multi Head Weigher) 16 Head & 20 Head Weigh Filler

Filling Accuracy : -/+0.1%
Type of Sealing : Center Seal

Film Size : 100mm-400mm width x 100mm-360mm length

Film Roll Type : Laminated Film in Roll Supported Film E.g. Aluminum Foil Pe

Speed : 80 to 120 bag/min (Varies with the nature of product & filling range)

Power : 3kw 230v / AC / Single Phase / 50hz
Wooden Case : 1300mm x 1000mm x 1000mm (H x W x L)

Machine Size : 72" x 85" x 126

Weight : 1400kg (Approx)

Compressed Air : 6 CFM @ 6 bar


Optional : Batch Coding Device



Quality makes us different

VFFS Series APM 101 With Multihead Weigher







Power







Automatic Form Fill & Seal Machine with Multihead Weigher for Chips, Fryms, Namkeen, Snacks, Grains & Free Flow Products Like Pulses, Soya Chunks, Whole Spices, Detergent Powder, Pesticides Etc. in Multihead Weigh Filler

Technical Specification

Packing Range : 10gm to 1kg

Filling System $\,\,$: (Multi Head Weigher) 10 Head Weigh

Filler & 14 Head Weigh Filler

Filling Accuracy : - / + 0.1%

Type of Sealing : Center Seal

Film Size : 100mm-500mm width x 100mm-

360mm length

Film Roll Type : Laminated Film in Roll Supported Film

E.g. Aluminum Foil Pe

Speed : 45 to 60 bag/min (Varies with the

nature of product & filling range)
: 3kw 230v / AC / Single Phase / 50hz

Wooden Case : 1300mm x 1000mm x 1000mm

 $(H \times W \times L)$

Machine Size : 72" x 85" x 126

Weight : 1400kg (Approx)

Compressed Air : 6 CFM @ 6 bar

Optional : Batch Coding Device









VFFS Series APM 102









Four Head Weigher

Automatic Form Fill & Seal Machine with Four Head Weigh Filler for Grains & Free Flow Powder Products Like **Pulses**, **Rice**, **Tea**, **Sugar**, **Namkeen**, **Whole Spices**, **Detergent Powder**, **Pesticides Etc.** in Four Head Weigh Filler

Technical Specification

Packing Range : (50gm to 1Kg) (1kg - 5kg) Filling System : Four head Weigh Filler

Type of Sealing: Center Seal

Film Size : 250mm- 500mm width x 100mm-

450mm Length

Film Roll Size : OD 250 to 400mm max. ID film Reel

Pipe 75mm

Film Roll Type : Laminated Film

Speed : 10 to 30 bag/min depend on the nature

of the product

Power : 5 KW

Optional : Batch Coding Device, Batch Cutting

Device, Z Elevator

 $Wooden\ Case \quad : 2500mm\ x\ 1200mm\ x\ 1200mm$

 $(H \times W \times L)$

Machine Size : 2800mm x 1700mm x 400mm

 $(L \times W \times H)$

Machine Weight: 850kg. (Approx)



VFFS Series APM 103









Two Head Weigher

Automatic Form Fill & Seal Machine with Two Head Weigh Filler for Grains & Free Flow Powder Products Like **Pulses**, **Rice**, **Tea**, **Sugar**, **Namkeen**, **Whole Spices**, **Detergent Powder**, **Pesticides Etc.** in Two Head Weigh Filler

Technical Specification

Packing Range : 50gm to 1Kg

Filling System : Two Head Weigh Filler

Type of Sealing: Center Seal

Film Size : 200mm - 520mm width x

120mm-360mm Length

Film Roll Size : OD 250 to 300mm max. ID Film Reel

Pipe 75mm

Film Roll Type : Laminated Film

Speed : 8 to 14 Pouches per minute depend on

the product nature

Power : 4KW Three Phase
Optional : Batch Coding Device, Batch Cutting

Device, Z Elevator

Wooden Case : 2300mmx1100mm x1200mm

 $(H \times W \times L)$

Machine Size : 2600mm x 1600mm x1300mm

 $(L \times W \times H)$

Machine Weight: 750kg. (Approx)

















Pneumatic Cup Filler

Automatic Form Fill & Seal Machine with Cup Filler for Grains & Free Flow Powder items Like Rawa, Broken Wheat, Detergent, Tea, Coffee, Namkeen, Puffs, Pesticides Etc. in Volumetric Cup Filler

Technical Specification

Filling System : Volumetric Cup Filler
Filling Accuracy : +/-0.1% - +/-0.2%
Sealing Type : Center Seal / 3 Side Seal
Filling Range : 10gm to100 / 100gm to 250gm

Film Role Material: Laminated Film

Speed Capacity : 25 to 40 Bag/min (Varies with the

Nature of Product & Filling Range)

Machine Size : 1050mm x 990mm x 1900mm

 $(L \times W \times H)$

PLC : Delta
TC : Selectron
Contact Part : SS 304
Power : 2.5 Kw

Optional : Batch Coding Device, Batch Cutting

Device Gas Flushing Unit

Machine Weight: 450kg (Approx)



VFFS Machine APM 105









Collar Type Cup Filler

Automatic Collar Type Form Fill & Seal Machine with Cup Filler for Grains & Free Flow Powder items Like Rawa, Broken Wheat, Detergent, Tea, Coffee, Namkeen, Fryms, Peanut, Puffs, Soya Chunk, Pesticides Etc. in Volumetric Cup Filler

Technical Specification

Packing Range : 1. (20gm to100gm)

2. (100gm to 500gm) 3. (500gm to 1000gm)

Filling System : Volumetric Cup Filler

Type of Sealing : Center Seal

Packing Material : Powder, Grains, Etc

Film Size : 200mm-420mm width x 100mm-550mm length

: OD 250 to 400mm max. ID film reel

pipe 75mm

Film Roll Type : Laminated Film

Film Roll Size

Speed : 40 to 60 bag/min (Varies with the

nature of product & Filling range)

Power : 3 KW 230V / AC / Single Phase/ 50hz

Optional : Batch Coding Device, Batch Cutting

Device Gas Flushing

Wooden Case : 1700mmx1000mmx1100mm (HxWxL)

Machine Size : 1050mm x 990mm 2100 (LxWxH)

Machine Weight: 750kg. (Approx)

















Pneumatic Servo Auger Filler

Automatic Pneumatic Form Fill & Seal Machine with Servo Auger Filler for Sticky Powder Products Like **Spices, Wheat Flour, Coffee Powder, Henna, Pesticides Etc.** in Servo Auger Filler

Technical Specification

Filling System : Servo Auger Filling

Filling Accuracy : +/-1 to 2% Depend upon nature of

Product

Sealing Type : Center Seal / 3 Side Seal
Filling Range : 50gm to 500gm
Packing Material : Sticky Powder

Film Role : W-100 to 360mm L-80 to 130mm Machine Size : 2500mm x 800mm x 900mm

(HxWx L)

Wooden Case : 2650mmx1000mmx1000mm

(HxWxL)

PLC : Delta / Fuji Contact Part : SS 304

Filling System : Servo Auger Filler

Power : 220v Ac Single Phase And Three

Phase

Optional : Batch Coding Device, Screw

Conveyor

Machine Weight : 650kg (Approx)



VFFS Machine APM 107









Collar Type Servo Auger Filler

Automatic Collar Type Form Fill & Seal Machine with Servo Auger Filler for Sticky Powder Products Like **Spices,Wheat Flour, Gram Flour, Milk Powder, Ice Cream Powder, Pesticides Etc.** in Servo Auger Filler

Technical Specification

 ${\sf Filling\ System} \quad : {\sf Servo\ Auger\ Filling}$

Filling Accuracy: +/- 0.1% Depend upon nature of

product

Sealing Type : Center Seal Filling Range : Up to 1000gm Packing Material : Sticky Powder

Film Role : 100 To 500mm-Width x

80mm to 240mm-Length

Speed Capacity: 30 to 60 Pouch per minute

Machine Size: 2500mm x 900mm x 1000mm

(HxWx L)

Wooden Case : 2650mm x 1200mmx1200mm

(HxWx L)

PLC : Delta / Fuji Contact Part : SS 304

Power : 440v Three Phase

Optional : Batch Coding Device, Batch Cutting

Device Screw Conveyor

Machine Weight: 700kg (Approx)

















Servo Bagger Servo Auger Filler

Automatic Form Fill & Seal Machine with Servo Auger Filler for Sticky Powder Products Like **Spices**, **Wheat Flour**, **Gram Flour**, **Milk Powder**, **Ice Cream Powder**, **Pesticides Etc.** in Servo Auger Filler

Technical Specification

Packing Range : 1. 1kg. to 10kg.

Filling System : Servo Auger Filler

Type of Sealing : Center Seal

Film Size : 300mm to 900mm

Film Roll Size : OD 250 to 300mm max.

ID Film Reel Pipe 75mm

Film Roll Type : Laminated Film PLC : Delta / Fuji

Speed : 15 to 40 PPM Depend On The Product

Nature & Weight

Power : 5 KW Three Phase

Optional : Batch Coding Device, Batch Cutting

Device, Screw Conveyor

Wooden Case : H 3200mm x W 1500mm x L 1800

Machine Weight: 950kg. (Approx)



VFFS Machine APM 109









Servo Auger Filler (High Speed)

Automatic Form Fill & Seal Machine with Servo Auger Filler for Sticky Powder Products Like **Spices, Gram Flour, Milk Powder, Ice Cream Powder, Pharmaceutical Powder, Pesticides Etc.** in Servo Auger Filler

Technical Specification

Packing Range : 5gm to 50gm Filling System : Servo Auger Filler Type of Sealing : Center Seal

Film Size : 120mm-250mm Width x

80mm-200mm Length

 $Film\,Roll\,Size \qquad :\, OD\,250\,to\,300mm\,max.\,ID\,Film\,Reel\,Pipe$

75mm

Film Roll Type : Laminated film

Speed : 60 to 90 Pouches Per Minute Depend On

The Product Nature

Power : 5KW Three Phase

Optional : Batch Coding Device, Batch Cutting

Device, Screw Conveyor

Wooden Case : H 2200 mm, W 1000mm, L 1200mm

Machine Weight: 650kg. (Approx)

















Mechanical FFS Piston / Cup Filler

Automatic Form Fill & Seal Machine for Free Flowing Liquid, Powder, Granule and Semi Liquid to Pack Products Like Shampoo, Honey, Coconut Oil, Tomato Puree, Oil, Grease, Paste, Sugar, Tea, Whole, Spices and any other Free Flowing Materials in Piston Filler / Cup Filler

Technical Specification

Packing Rang : 1. (2ml to 20ml)

2. (20ml to 50ml)

3. (50ml to 100ml)

Filling System : Volumetric Piston Filing / Cup Filler

Filling Accuracy: +/- 0.1%

Sealing Type : Center Seal / 4 Side Seal / 3 Side Seal

Filling Range : Up to 100ml

Packing Material: Liquid, Semi Liquid & Granule Speed Capacity: 35 to 50 Pouch per minute Machine Size: 780 x 650 x 1950mm (LxWxH)

Contact Part : SS 304

Power : 2kw Single Phase
Optional : Batch Coding Device
Machine Weight : 430kg (Approx)



VFFS Machine APM 111









Pneumatic Four Side Piston / Cup Filler

rutomatic Form Fill & Seal Machine for Free Flowing Liquid, Powder, Granule and Semi Liquid to Pack Products Like Shampoo, Honey, Coconut Oil, Tomato Puree, Oil, Grease, Paste, Sugar, Tea, Whole, Spices and any other Free Flowing Materials in Piston Filler / Cup Filler

Technical Specification

'acking Rang : 1. (2ml to 20ml)

2. (20ml to 50ml) 3. (50ml to 100ml)

illing System : Volumetric Piston Filing / Cup Filler

illing Accuracy : +/- 0.1 %
lealing Type : Four Side Seal
lacking Material : Laminated Film

ilm Size : 100mm-250mm width x

50mm-150mm length

Film Roll Size : OD 250 to 400mm max.

ID film reel pipe 75mm min

: 3 KW 220V / AC / Three Phase

Film Roll Type : Laminated Film

Power

Speed : 30 to 40 Stock Per Minute (Varies with

the nature of product & Filling range)

Optional : Batch Coding Device, Batch Cutting

Device Auto Lubrication, GMP Model,

 ${\sf Gas}\, {\sf Flushing}\, {\sf Unit}\, {\sf Level}\, {\sf Sensor}$

 $Machine\,Size \qquad : \ 1200mm\,x1500mm\,x\,1950mm$

Machine Weight: 500kg (Approx)



Technical Specification

Bag material : Laminated film/PE/PP

: Stand-up with zipper & stand-up with Bag pattern

spout, flat bag,

Max filling weight: 10-5000ml Filling accuracy : 0.5-1%

: 1 W:100-200mm L:100-350mm Bag size

2 W:150-260mm L:100-350mm 3 W:200-300mm L:200-450mm

: 10-60bags/min

Speed : 380v 3phase 50/60hz Voltage

: 5.5KW Total power Compress air : 0.6m³/min

Detecting device: 1.No ribbon, alarm and Emergency

stop 2.No pouch or pouch open error,

no filling, no sealing

: 1.Open the door, alarm a Emergency Safety device

stop(Optional) 2.The air pressure not enough, alarm

3.the sealing temperature anomaly,

alarm


HFFS **APM 113** Flow Wrap **Horizontal Flow Wrap Machine**

Automatic Horizontal Flow Wrap Machine with Manual Feeding for Packing solid products like Chocolate, Biscuit, Lollypop, Soap, Peanut Candy, Ice Candy, Scrub Pad, Auto Parts, Industrial Parts, any solid piece Etc.

Technical Specification

Model	HFFS 250	HFFS 320	HFFS 450
Max Film Width	250mm	320mm	450mm
Bag Length	65mm - 190mm	120mm-280mm	65mm-190mm
	120mm - 280mm	130mm-450mm	
Bag Width	30mm-110mm	50mm-160mm	60mm-220mm
Max Product Height	40mm	40mm	80mm
	55mm	55mm	
Speed	40-230 PPM	40-230 PPM	30-180 PPM
Power	MOTOR 1 H.P	MOTOR 1 H.P	MOTOR 1 H.P
	2.5KW SINGLE PHASE	2.5KW SINGLE PHASE	2.5KW SINGLE PHASE
Machine Size	1800mm L	1800mm L	1800mm L
	1000mm W	1000mm W	1000mm W
	1360mm H	1360mm H	1360mm H
Machine Weight	700kg (Appx.)	800 (Appx.)	900(Appx.)





Filler & Accessories

























uality makes us different

Management Manifesto

- Implement the best business practices for work management.
- Check and guarantee the best quality at all levels.
- Over-deliver on the customer delight.

www.asianpackingmachinery.com







OUR HAPPY CUSTOMER



















































































































































