

TOPPY

CRIBIS
A CRIF company

BeneFit
Company



Stationary Pallet Exchangers Solutions

Since 1978

Toppy's Site and General Overview

TOPPY | 2

Founded as
pile turners
manufacturer

1978

Designed the
first Pallet
Inverter

1988

Designed the
first Mobile
Pallet Inverter

1995

First Push pallet
changer:
Master Inverter

1999

Designed the
first tilting
V-Shape


2000

18.000 m²
Of two operating warehouses

68 employees
Working in two sites

147 countries
Supplied by Toppy

46 years
Of Experience



5.000 units
supplied
worldwide

2003

Designed
the first Full
Auto system

2008

Achieved 19
patented
models

2016

CRIBIS prime
company
reliability

2022

Benefit
Company
status

2023

More than
50 different
solutions

2024

20.000 units

Supplied Worldwide

33 partners

All over the world

50+ units

Of Pallet Exchangers in our range

36 patented

Solution from Toppo

Latest global installations of stationary pallet exchangers



Speed, compactness, and efficiency. Since 1988

TOPPY | 5



RAPTOR

TOPPY | 6



- 🏠 Equipped with pallet dispenser;
- ✕ No power required;
- ⏸ Safe product pressure

PATENTED



Raptor is the upgraded version of standard pallet exchangers, patented by Topy.

What makes this solution one of the most advanced in our range is that it's electricity-free, equipped with pneumatic servo assistance, integrated with a pallet magazine, capable of exchanging up to 40 pallets per hour.

Pallet size	Up to 800x1200 mm
Capacity	Up to 1000 Kg
Performance	About 40 pallets/hour
Loading	At floor level by pallet jack

**depending on configuration*

SILVER ONE RETRIEVER



- ✕ No power required;
- ⬆ Essential separation;
- ⏮ Adjustable Pressure



Silver One Retriever is one of the most economic solution in Toppo's range and is also available for monthly rent.

It is a stationary pallet changer that enables pallet exchange operations by sliding the pallet behind the machine, which is then returned to the front by the servo-assisted mechanism.

Pallet size Up to 800x1200 mm
or 1000x1200 mm

Capacity Up to 1000 Kg

Performance About 45 pallets/hour

Loading At floor level by electric pallet jack

**depending on configuration*

SIDE PRESS



- ✕ No tilting or rotating the product;
- ⏮⏭ With Adjustable Pressure;
- 🍷 Safe product handling.

Side Press is a stationary pallet exchanger that securely locks and lifts the product from the pallet.

The machines is equipped with two padded clamps that secure the product from the side, and simultaneously lift it off the pallet.

Available both mobile and fixed version.



Pallet size Up to 1000x1200 mm

Capacity Up to 1200 Kg

Performance About 40 pallets/hour




Load At floor level by pallet jack

**depending on configuration*

SIDE PRESS SPLITTER

TOPPY | 9



-  Split the stack of products;
-  Safe product handling;
-  Adjustable Pressure

Side Press Splitter is a stationary layer picker capable of both splitting product-stacks up to 1.400 mm and exchanging pallets.

The machines is equipped with two padded clamps that secure the product from the side, and simultaneously lift it off the pallet.

Available both mobile and fixed version.



Pallet size Up to 1000x1200 mm

Capacity Up to 1200 Kg

Performance About 30 pallets/hour

Load At floor level by pallet jack

**depending on configuration*

SIDE MOVER



- ✕ No tilting or rotating the product;
- 🍃 Safe product handling;
- ⏮️ Adjustable Pressure

Side Mover is a stationary pallet exchanger that securely lifts and laterally shifts the load between pallets.

The machines is equipped with two padded clamps that secure the product from the side, and simultaneously lift it off the pallet.

Available both mobile and fixed version.



Pallet size Up to 800x1200 mm
or 1000x1200 mm

Capacity Up to 1200 Kg

Performance About 30 pallets/hour

Load At floor level by pallet jack

**depending on configuration*

PANTERA

TOPPY | 11



- 🌀 Designed for load splitting;
- 🍃 Safe product handling;
- ⏮️ Adjustable Pressure



Pantera is the ultimate version of layer picker solutions that efficiently lifts, splits, and laterally transfers the load onto a new pallet in the safest and fastest manner.

It applies lateral pressure and lifts the product, streamlining the process of transferring from one pallet to another.

The operation starts by positioning the entire load onto the machine.

Pallet size Up to 1000x1200 mm

Capacity Up to 1200 Kg




Performance About 40 pallets/hour

Max product height to be split H 1900 m

**depending on configuration*

V-SHAPE 120°



-  Loading and unloading at floor level;
-  Push button or automatic system;
-  For miscellaneous loads



V-Shape is a pallet inverter system, specifically designed for exchanging pallets of loads with different configuration.

It one of the evergreen solutions in Toppo's range, originally launched in 2009 and still one of our best-selling solutions to this day.




The V-Shape is also available in the fully stainless-steel or galvanized variant.

Pallet size	Up to 1200x1200 mm (opened or bottom closed pallet)
Capacity	Up to 1500 Kg
Performance	About 30 pallets/hour
Load	At floor level by pallet jack or forklift

**depending on configuration*

MASTER INVERTER



-  Insert the entire load at floor level;
-  No tilting or turning the product;
-  Adjustable Pressure

Master Inverter is a linear pallet exchanger specifically designed for handling fragile loads.

It's considered a timeless classic within Toppo's range, as it was one of the first stationary pallet exchanger solutions that doesn't tilt the load during pallet exchange.

This solution is ideal for those who need to apply lateral pressure to the product and prefer handling the load at ground level.



Pallet size	Up to 800x1200 mm and 1000x1200 mm
--------------------	---------------------------------------

Capacity	Up to 1200 Kg
-----------------	---------------

Performance	About 30 pallets/hour
--------------------	-----------------------




Load	At floor level by pallet jack
-------------	-------------------------------

**depending on configuration*

FALCON WINGS

TOPPY | 14



-  No tilting or turning the product;
-  Safe product handling;
-  Adjustable Pressure

PATENTED



Falcon Wings is an stationary mobile pallet exchanger that securely locks and lifts the product from the pallet.

It uses extendable blades for stability between the product and the pallet. It's very easy to operate with joystick control and runs on a acid lead battery.

Available both mobile and fixed version.

Pallet size	Up to 1000x1200 mm (opened or bottom closed pallet)
--------------------	--

Capacity	Up to 1200 Kg
-----------------	---------------

Performance	About 30 pallets/hour
--------------------	-----------------------

Load	At floor level by pallet jack
-------------	-------------------------------

**depending on configuration*

FALCON WINGS SPLITTER



- Designed for load splitting;
- Safe product handling;
- Adjustable Pressure

PATENTED



Falcon Wings Splitter is a stationary layer picker capable of both splitting product-stacks up to 1.300 mm and exchanging pallets.

It uses extendable blades for stability between the product and the pallet. It's very easy to operate with joystick control and runs on a acid lead battery.

Available both mobile and fixed version.

Pallet size Up to 1000x1200 mm
(opened or bottom closed pallet)

Capacity Up to 1200 Kg

Performance About 30 pallets/hour

Load At floor level by pallet jack

**depending on configuration*

INVERTER FLOOR LEVEL



- Loading and unloading at floor level
- Changes the pallet by tilting;
- Safe product handling

Inverter Floor Level is one of the classic pallet inverter by Topy, launched in 1988 and still one of our best sellers today.

It's designed for exchanging pallets for products that can be momentarily turned upside down.

It's a compact and robust solution able to handle bulky and heavy loads.

Pallet size Up to 1200x1200 mm
(opened or bottom closed pallet)

Capacity Up to 1500 Kg

Performance About 20 pallets/hour

Load By pallet jack

**depending on configuration*



INVERTER MONO



- Change the pallet by tilting the load;
- Safe product handling
- Adjustable Pressure



Inverter Mono is one of the classic pallet inverter by Topy, launched in 1988 and still one of our best sellers today.

It's designed for exchanging pallets for products that can be momentarily turned upside down.

It's a compact and robust solution.

Pallet size Up to 1200x1200 mm
(opened or bottom closed pallet)

Capacity Up to 2000 Kg

Performance About 20 pallets/hour

Load By forklift


**depending on configuration*

INVERTER 650-2000

TOPPY | 18



- ⏻ Change the pallet by tilting the load;
- ⏸ Safe product pressure;
- 🍷 Safe product handling



Inverter 650-2000 is one of the classic pallet inverter by Topy, launched in 1988 and still one of our best sellers today.

It's designed for exchanging pallets for products that can be momentarily turned upside down.

It's a compact and robust solution.

Pallet size	Up to 1200x1200 mm (opened or bottom closed pallet)
--------------------	--

Capacity	Up to 1500 Kg
-----------------	---------------

Performance	About 20 pallets/hour
--------------------	-----------------------

Load	By forklift
-------------	-------------

**depending on configuration*

HANDS FREE



- For miscellaneous loads;
- Safe product handling;
- Safe product pressure

PATENTED



Hands-Free is the evolution of classic pallet turner, considered the fastest and most compact in its range.

It's equipped with the APS (automatic pallet system) that allow to slide the pallet when the product is tilted.

Due to this advanced and new concept of pallet exchange, is an exclusive patented by Toppo.

Pallet size Up to 1000x1200 mm
(opened or bottom closed pallet)

Capacity Up to 1200 Kg

Performance About 45-50 pallets/hour

Load By forklift

**depending on configuration*

SPIDER INVERTER



- 2 Dual Mode: tilting and no tilting;
- For miscellaneous loads;
- Safe product pressure

PATENTED



Spider Inverter is an hybrid and advanced version of classic pallet inverters, patented by Toppo.

It can exchange pallets by two modes: by tilting the load, like classic pallet inverters, and by laterally clamping the load for its lifting from the pallet for non-tilting products.

Pallet size Up to 1200x1200 mm
(opened or bottom closed pallet)

Capacity Up to 1500 Kg

Performance About 25-40 pallets/hour

Load By forklift

**depending on configuration*

THE GAME CHANGER



- Change the pallet by tilting the load;
- With 2 pallet magazine;
- Safe product pressure

PATENTED

The Game Changer is the evolution of the classic pallet inverter, patented by Toppo.

It's equipped with two automatic pallet magazine for a non-stop pallet exchange cycle.



Pallet size Up to 800x1200 mm

Capacity Up to 1000 Kg

Performance About 40 pallets/hour

Load By forklift

**depending on configuration*


L-SHAPE TILTER



- Loading and unloading at floor level;
- Safe product handling;
- Push button panel

L-Shape Tilter is a pallet inverter system designed to minimize manual efforts required from the operator during pallet exchange operations.

This solution is suitable for products that can be tilted momentarily by 95°, allowing the operator to remove the old pallet and insert the new one.



Pallet size	Up to 800x1200 mm or 1000x1200 mm
Capacity	Up to 1200 Kg
Performance	About 40 pallets/hour
Load	At floor level by pallet jack

**depending on configuration*

L-SHAPE with conveyor



- ✕ Insertion & removal freezer spacers;
- 🍃 Safe product handling;
- ⏮️ Adjustable Pressure

PATENTED



L-Shape with conveyor is specifically designed for helping operators in the freezer spacers insertion and removal processes.

The machine is controlled by a push-button panel that activates the upper compactor, which is closed to ensure the product during the 95° tilting.

It is a Toppo patented solution.

Pallet size Up to 1200x1200 mm
(opened or bottom closed pallet)

Capacity Up to 1300 Kg

Performance About 30 pallets/hour

Load At floor level by pallet jack

**depending on configuration*

Corporate Reliability & new sustainable practices



CRIBIS Prime Company

The CRIBIS Prime Company recognition is therefore the highest level of assessment of the commercial reliability of an organization and is issued only and exclusively to companies that constantly maintain high economic-commercial reliability and are virtuous in payments to suppliers.

The CRIBIS Prime Company is a recognition of great value given that every year it is awarded only to 7% of the over 6 million Italian companies.



A Transformative Journey as a B-CORP Company

As a BENEFIT company, Toppo embraces a holistic approach that transcends profit-focused objectives.

We believe that by embracing sustainable practices, prioritizing employee well-being, cultivating ethical supplier relationships, and actively contributing to the community, we can shape a brighter future for all.

Through our manifest G.R.O.W. (Green Responsibility for Our World), Toppo cultivates a culture of environmental stewardship, empowering positive change for a sustainable future.



FHR: 95

Risk Level: Very Low Risk

Estimated Probability of Default: 0.001%

Annual Delta: +1 rating points

Core Health: 88 (Very Strong Health)

Table : Key Data and Ratio (EUR M)

Rating Data	2020	2021	2022
Financial Health Rating	89	94	95
Core Health Score	87	88	88
Simulated FHR	89	94	95
Key Data and Ratios	2020	2021	2022
Total Assets (M)	5.18	6.01	7.17
Total Liabilities (M)	3.14	4.47	4.87
Total Revenues (M)	10.78	10.12	12.45
EBITDA (M)	1.52	2.28	3.04
Total Rev / Total Asset	2.08	1.68	1.73
Op Profit / Total Rev (%)	11.39	15.94	17.86
Op Profit / Interest Exp	49.21	83.17	70.60
FCF / Total Debt	0.00	2.95	3.21
ROCE (%)	37.77	66.74	78.74

Very Low Risk (80 - 100)

Low Risk (60 - 79)

Medium Risk (40 - 59)

Our references in several industries

Pharmaceutical




Food & Beverage



Cosmetics, Logistics, and Others



TOPY



Topy S.r.l.

Via Moretto, 1
40053 Valsamoggia (BO) – Italy

Tel: +39 051 833701
www.topy.it | info@topy.it