



PIEZO INKJET PRINTER

X1/X2/X3

The piezo inkjet printer under Correct Pack are designed for variable data users, with a simple and intuitive operating system, coupled with large-format printing capabilities of 36mm-71.8mm and High-definition printing resolution up to 600dpi. Durable, high-quality printing helps users effectively reduce pre-printed inventory and related costs.

Piezo Inkjet Printer

X1/X2/X3

Clear Identification. Excellent Quality



Smart Operating System

Information editing is convenient and user-friendly. The system supports multilingual interfaces, various fonts, and high-precision printing of multiple image formats on large printing surfaces.



Flexible installation

Modular printheads support bottom, side, or combined installation configurations. Supports RS232, Ethernet, and USB interfaces for versatile data communication.



Boost Production Efficiency

Ink cartridges can be replaced without halting production. Solvent-free ink and automatic cleaning technology minimize maintenance requirements.



User-friendly Design


The built-in intelligent negative pressure ink system eliminates the need for an external air compressor. One-click ink priming, residual ink alarms, and a stable temperature-controlled supply ensure reliable performance.

Sample Prints Display



Specifications

Item	X1	X2	X3
Printhead Brand	KONICA MINOLTA 512	MH5420	SEIKO510
Operating System	Android operation system		
DPI	Vertical: 120/180/252/360 DPI Horizontal: 120/180/252/360 DPI	Vertical: 150/300/600 DPI Horizontal: 150/300/600 DPI	Vertical: 90/120/180 DPI Horizontal: 90/120/180 DPI
Print Height	36mm	54mm	71.8mm
Ink Dot Size	42PL	7PL	35PL
Ink Type	Oil-based ink, UV ink		
Ink System	Intelligent negative pressure control ink system		
Printing Speed	Max.55m/min	Max.260m/min	Max.60m/min
Printer Screen	10.2-inch industrial-grade high-definition touchscreen		
Print direction	Down print, Side print, Bracket precision adjustment		
Print Message	Text, Variable text, Date and time, Shift, Counter, Database text, Barcode, Graphics, Table and QR code		
External Devices	Ethernet, USB, RS232, Photocell, Encoder, Alarm Lamp		
Ink Management	Auto-identify Ink Type and Confirm Optimal Parameter, Auto-calculate Ink Consumption		
Voltage	110-240V 50/60Hz, 99W		
Equipment Environment	15°C - 40°C		
Printhead Specification	392.75mm x 143mm x 56mm	392.75mm x 169mm x 56mm	322.75mm x 169mm x 56mm
Net Weight	1Kg	1.2Kg	1Kg





CORRECT PACK TECHNOLOGY CO.,LTD.

Add: Floor 3, Building 1, No. 728, Jinhua Road, Sanzao Town, Jinwan District, Zhuhai City, Guangdong, China

Tel: +86 756 7255229 Fax: +86 756 7255635

E-mail: info@correct-pack.com

Website: www.correct-pack.com