



OIL TEC

For Edible Oils & Detergents S.A.E



Purity & Quality



For Edible Oils & Detergents S.A.E

About Us:

Oil Tec founded in 1999. As a fully Egyptian owned enterprise, built on a heritage of experience in the oils and soap sectors since 1940. Facilities along forerunners decades of professional soap manufacturing and experience basis, then engaged in oils refining, mixing, filling of edible oils, vegetable ghee, shortening and plastic bottles manufacturing to achieve a completed safe foodstuff oil production.

Our Vision:

Leadership in development and manufacture of vegetable oils locally and internationally.

Our Mission:

The company is working on:

- Offering high quality products that exceed customer expectations.
- Continuous research and development as a mechanism to improve the performance of the organization and achieve a competitive advantage.
- Maximizing the return on investment in human resources to serve the community and the labor market.
- Achieving the goals of our success partners (customers, suppliers and employees).
- Full compliance with all legislation and laws.



Refining:

We are considered to be the most advanced in terms of machinery and refining technology through all refining processes (Neutralization - Bleaching - Deodorizing - Winterizing) with monthly capacity 10,000 MT.



Plastic Bottle

Manufacturing:

Production of plastic bottles in the same place of packing to ensure best hygiene products to meet international food safety standards.



Oils Processing:

All production and filling lines are fully automated which enables us to present a nutritional oils, ghee and shortening with a longer shelf life and better taste.



Soap Manufacturing:

Saponification process are made from the finest edible oils with the capability to produce soaps different ranges, colors and perfumes with finishing in different sizes and packages.

The Most Advanced Hygienic
Oil, Shortening and Vegetable Ghee Filling System
The Most Advanced Hygienic
Oil, Shortening and Vegetable Ghee Filling System



TO ADD CBS



Corn Oil



Fully Refined Corn Oil Specifications

Item	References of Specifications			
	Oil Tec. Specifications		Codex 210-1999 Rev. 2010 & E.S. No. 7665/2021	
	Min.	Max.	Min.	Max.
Appearance	Clear, impurities free		Clear, impurities free	
Odor & taste	Rancid odor and taste free		Rancid odor and taste free	
Free fatty acids as oleic acid %	-	0.12	-	0.3
Acid value ml/gm. KOH/gm. oil	-	0.24	-	0.6
Peroxide value (mg eq. wt./kg oil)	-	1.0	-	10
Iodine value gm./100 gm. oil	103	135	103	135
Moisture and volatile matter %	-	0.02	-	0.2
Impurities %	-	0.02	-	0.05
Soap content ppm	-	10	-	50
Unsaponifiable matters %	-	1.0	-	2.8
Saponification value mg KOH/gm. oil	187	195	187	195
Heavy Metals / ppm				
Iron (Fe) mg/kg	-	1.5	-	1.5
Lead (Pb) mg/kg	-	0.1	-	0.1
Copper (Cu) mg/kg	-	0.1	-	0.1
Arsenic (As) mg/kg	-	< 0.1	-	-
Nickel (Ni) mg/kg	-	< 0.1	-	-
Relative density at 20 °C	0.917	0.925	0.917	0.925
Refractive index at 40 °C	1.465	1.468	1.465	1.468
Antioxidant (TBHQ) ppm	-	180	-	200
Color (B15 Inch Lovibond Color Cell)				
Red / Yellow	2.5 / 25	3.5 / 35	-	-
Phosphorus (Sum) ppm	-	8	-	-
Wax ppm	-	50	-	-
Vitamins A – D ppm	According to the customers requirements			
Fatty Acids Composition %				
C 16:0	8.6	16.5	8.6	16.5
C 18:0	Nil	3.5	Nil	3.5
C 18:1	20	42.2	20	42.2
C 18:2	34	65.6	34	65.6
C 18:3	-	2	-	2
C 22:0	-	0.5	-	0.5

*** Validity**

- Sterilized - pouches - tin cans - bulk (12 months);
- PET Bottles under Nitrogen (24 months);
- Non GMO, Allotaxine & Halal certificate (according to the customer request).





Sunflower Oil



Fully Refined Sunflower Oil Specifications

Item		References of Specifications			
		Oil Tec. Specifications		Codex 210-1999 Rev. 2019 & E.S No. 79/5/2021	
		Min.	Max.	Min.	Max.
Appearance		Clear, impurities free		Clear, impurities free	
Odor & taste		Rancid odor and taste free		Rancid odor and taste free	
Free fatty acids as oleic acid %		-	0.06	-	0.3
Acid value ml/gm. KOH/gm. oil		-	0.16	-	0.6
Peroxide value (mg eq. wt./kg oil)		-	1.0	-	10
Iodine value gm./100 gm. oil		116	141	116	141
Moisture and volatile matter %		-	0.02	-	0.2
Impurities %		-	Nil	-	0.05
Soap content ppm		-	10	-	50
Unsaponifiable matters %		-	1.5	-	1.5
Saponification value mg KOH/gm. oil		186	194	186	194
Heavy Metals /ppm					
Iron (Fe) mg/kg		-	1.5	-	1.5
Lead (Pb) mg/kg		-	0.1	-	0.1
Copper (Cu) mg/kg		-	0.1	-	0.1
Arsenic (As) mg/kg		-	< 0.1	-	-
Nickel (Ni) mg/kg		-	< 0.1	-	-
Relative density at 20 °C		0.918	0.923	0.918	0.923
Refractive index at 40 °C		1.461	1.466	1.461	1.466
Antioxidant (TBHQ)ppm		-	160	-	200
Color (151 Inch Lovibond Color Cell)					
Red / Yellow		-	0.6 / 5	-	-
Phosphorus (Gums) ppm		Nil	8	-	-
Wax ppm		Nil	50	-	-
Vitamins A – D ppm		According to the customers requirements			
Fatty Acids Composition %					
C 16:0		5	7.6	5	7.6
C 18:0		2.7	6.5	2.7	6.5
C 18:1		14	39.4	14	39.4
C 18:2		48.3	74	48.3	74
C 18:3		-	0.3	-	0.3
C 22:0		0.3	1.5	0.3	1.5

• Validity

- Jerrycan - pouches - 5n cans - bulk (12 months).
- PET Bottles under Nitrogen (24 months).
- Non GAO, Allergene & Halal certificate (according to the customer request).





Soya Bean Oil



Fully Refined Soya Bean Oil Specifications

Item	References of Specifications			
	Oil Tec. Specifications		Codex 210-1999 Rev. 2010 & E.S No. 7965/2021	
	Min.	Max.	Min.	Max.
Appearance	Clear, impurities free		Clear, impurities free	
Odor & taste	Rancid odor and taste free		Rancid odor and taste free	
Free fatty acids as oleic acid %	-	0.05	-	0.3
Acid value ml gm. KOH/gm. oil	-	0.15	-	0.6
Peroxide value (mg eq. wt./kg oil)	-	1.0	-	10
Iodine value gm. I/100 gm. oil	124	139	124	139
Moisture and volatile matter %	-	0.02	-	0.2
Impurities %	-	Nil	-	0.05
Soap content ppm	-	10	-	50
Unsaponifiable matters %	-	1.0	-	1.5
Saponification value mg KOH/gm. oil	189	195	189	195
Heavy Metals / ppm				
Iron (Fe) mg/kg	-	1.5	-	1.5
Lead (Pb) mg/kg	-	0.1	-	0.1
Copper (Cu) mg/kg	-	0.1	-	0.1
Arsenic (As) mg/kg	-	< 0.1	-	-
Nickel (Ni) mg/kg	-	< 0.1	-	-
Relative density at 20 °C	0.919	0.925	0.919	0.925
Refractive index at 40 °C	1.466	1.470	1.466	1.470
Antioxidant (TBHQ)ppm	-	180	-	200
Color (515 Inch Lovibond Color Cell)				
Red / Yellow	-	0.5 / 8	-	-
Phosphorus (Sum) ppm	Nil	5	-	-
Wax ppm	Nil	50	-	-
Vitamins A + D ppm				
According to the customers requirements				
Fatty Acids Composition %				
C 16:0	8	13.5	8	13.5
C 18:0	2	3.4	2	3.4
C 18:1	17	30	17	30
C 18:2	48	59	48	59
C 18:3	4.5	11	4.5	11
C 22:0	-	0.7	-	0.7

• Validity

- Janyikan - pouches - tin cans - bulk (12 months).
- PET Bottles under Nitrogen (24 months).
- Non GMO, Allergene & Halal certificate (according to the customer request).





Blended Oil



Fully Refined Blended Oil (Soya Bean - Sunflower) Specifications

Item	References of Specifications			
	Oil Tec. Specifications		Codex 19-1981 Rev. 2019 & E.S No. 8041/2016	
	Min.	Max.	Min.	Max.
Appearance	Clear, impurities free		Clear, impurities free	
Odor & taste	Rancid odor and taste free		Rancid odor and taste free	
Free fatty acids as oleic acid %	-	0.08	-	0.3
Acid value ml/gm, KOH/gm. oil	-	0.16	-	0.6
Peroxide value (mg eq. wt./kg oil)	-	1.0	-	10
Moisture and volatile matter %	-	0.02	-	0.2
Impurities %	-	Nil	-	0.05
Soap content ppm	-	10	-	50
Antioxidant (TBHQ/ppm)	-	160	-	200
Heavy Metals / ppm				
Iron (Fe) mg/kg	-	2.5	-	2.5
Lead (Pb) mg/kg	-	0.1	-	0.1
Copper (Cu) mg/kg	-	< 0.1	-	-
Arsenic (As) mg/kg	-	< 0.1	-	-
Nickel (Ni) mg/kg	-	< 0.1	-	-
Color (5% Inch Lovibond Color Cell)				
Red	-	0.8	-	-
Yellow	-	8	-	-
Phosphorus (Gums) ppm	-	8	-	-
Wax ppm	-	50	-	-

• Validity

- Jerrycan - pouches - tin cans - bulk (12 months).
- PET Bottles under Nitrogen (24 months).
- Non GMO, Aflatoxine & Halal certificate (according to the customer request).





Vegetable Ghee



Vegetable Ghee Specifications

Items	Oil Test Specifications		Items	Oil Test Specifications	
	Indoor Lab.	Min. Max.		External Lab.	Min. Max.
Odor	Butter		Paraffin Test		Nil
Color as per kvibond (5, 1/4 Cell)	R / Y = 3.5 / 35.0		Heavy Metal mg/kg		
White Ghee max.			Fe	-	1.5
Yellow Ghee max.	R / Y = 35 / 6.5		Cu	-	0.1
Specific Gravity (20°C)	0.890	0.900	Pb	-	0.1
Sh (melting) point °C	38	42	As	-	0.1
Free Fatty Acid as Oleic Acid %	-	0.10			
Acid value ml/gm. KOH/gm. Oil	-	0.20	Solid Fat Content % °C at		
Peroxide Value (mg Eq. WT. O2/Kg)	-	1.0	20 °C	17	20
Iodine value gm. I2/100 gm. oil	-	55	30 °C	5	9
Unsaponifiable Matters %	-	1.2	35 °C	2	5
Saponification Value mg KOH/gm. Oil	190	209	40 °C	0.5	2
Soap content ppm.	-	10			
Moisture and volatile matter at 105 °C %	-	0.2	Aflatoxins (ppb)		
Impurities %	-	Nil	Aflatoxins B1	-	Nil
Total fatty matter %	99.5	100	Aflatoxins B2	-	Nil
Antioxidant mg/kg	160	190	Aflatoxins G1	-	Nil
			Aflatoxins G2	-	Nil
Fatty Acids Composition %			Pesticide residue (ppm)	-	0.05
C 12:0	-	0.5	Erucic acid gm/kg	-	50
C 14:0	9.5	2.0	Benzolopyrene mg/kg	-	2.0
C 16:0	39.3	47.5	Sum of dioxins pg/g fat	-	0.75
C 18:0	3.5	6.0	Microbiological tests: Due to the low moisture content of the product, the nature of vegetable oil and refining steps, microbiological contamination is unlikely to occur.		
C 18:1	36.0	44.0	Salmonella cell / 25 gm	-	<10
C 18:2	9.0	12.0	Escherichia coli cell / gm	-	<10
Trans Fatty Acid	Not Detected		Total count cell / gm	-	<10

Validity and Packing

11.0 kg. inside Coated Tin (24 Months)

Storage Condition

A cool dry place max. 30°C away from direct sunlight



TO ADD A PAGE FOR CBS



High Quality Shortening for All Purposes

Dairy



Deep Frying



Bakery & Biscuit



Shortening for Food Purposes Specifications

Items	Oil Tec. Specifications		Items	Oil Tec. Specifications	
Indoor Lab.	Min.	Max.	External Lab.	Min.	Max.
Odor	Rancid Free		Paraffin Test	Nil	
Color max.	R / Y = 3.0 / 30.0		Heavy Metal mg/kg		
Specific Gravity (H ₂ O = 1)	0.887	0.870	Fe	-	1.5
Slip (melting) point °C	38	42	Cu	-	0.1
Free Fatty Acid as Oleic Acid %	-	0.10	Pb	-	0.1
Acid value ml gm. KOH/gm. Oil	-	0.20	As	-	0.1
Peroxide Value (mg Eq. Wt. O ₂ /kg)	-	1.0	Solid Fat Content % °C at		
Iodine value gm. I ₂ /100 gm. oil	-	55	20 °C	17	26
Unsaponifiable Matters %	-	1.2	25 °C	10	17
Saponification Value mg KOH/gm. Oil	190	209	30 °C	6	11
Soap content ppm.	-	10	35 °C	3	7
Moisture and volatile matter at 105 °C %	-	0.2	40 °C	0.5	3.5
Impurities %	-	Nil	Aflatoxins (ppb)		
Total fatty matter %	99.5	100	Aflatoxins B1	-	Nil
Antioxidant mg/kg	160	190	Aflatoxins B2	-	Nil
Fatty Acids Composition %			Aflatoxins G1	-	Nil
C 12:0	-	0.5	Aflatoxins G2	-	Nil
C 14:0	0.5	2.0	Pesticide residue (ppm)	-	0.05
C 16:0	39.3	47.5	Erucic acid gm./kg	-	50
C 18:0	3.5	6.0	Benzo(a)pyrene mg./kg	-	2.0
C 18:1	30.0	44.0	Sum of dioxins pg/g fat	-	0.75
C 18:2	9.0	12.0	Microbiological tests: Due to the low moisture content of the product, the nature of vegetable oil and refining steps, microbiological contamination is unlikely to occur.		
			Salmonella cell / 25 gm.	-	<10
			Escherichia coli cell / gm	-	<10
			Total count cell / gm	-	<10



• Free from any additives of natural and artificial coloring materials

Validity and Packing

Pouches 25 kg, inside carton (24 Months)

Storage Condition

A cool dry place max. 30 °C, away from direct sun light

Fine Beauty Soap



Soap Specifications

Technical Specifications:

- Distilled vegetable oil-base, animal fats free.
- Off white bar soap.
- Foreign materials free.
- Paper wrap three colors (Black - Violet - Pink) with different fragrances 120 gm. packed in carton contains 48 pieces.

Item	Specifications		Reference
	Min.	Max.	
Color of Bar	Off White		
TFM %	65.0	-	AACS
Moisture %	-	20.0	AACS
Titer °C	42	47	AACS
Free Acidity (as palmitic acid) % OR	-	2	AACS
Free alk. As NaOH %	-	0.06	AACS
Salt (as NaO) %	0.4	0.8	AACS
Glycerin %	4.0	-	AACS
Wet Crack	Good		
Water Absorption	Good		

• Notes

- Produced according to European directives.

• Validity

- Five years from the printed production.

• Storage Temperature:

- Ventilated area and temperature max. 30 °C.

Sustainability

We are committed to doing our effort and capabilities and using our scale to help lead the industry of refining & filling of edible oils forward.


Our sustainability commitments are guided by activities across three main core pillars:

- Action to reduce pollutants that effect of the climate.
- Supply Chains Responsibility.
- The Accountability.

These drive the step-to-step business decisions to make across our operations.

We are advancing our sustainability efforts by progressing toward our existing sustainability commitments, while also setting additional targets and investing in the new projects that are centered in sustainability & green life. We believe these efforts will result in good climate action while delivering strong results for our key stakeholders, including customers, employees and shareholders.

OIL PRODUCTION
Production Total: 231 Million Ton



Environmental Goals

- Oil Tec continued efforts to improve energy efficiency such as implementing steam reuse methodologies in heating the oil system and updating performance systems in all our operations.
- Oil Tec changed all steam boiler lighters from diesel to natural gas, & adjusting the combustion system which leads to the reduction of carbon emissions and environmental pollution.
- Oil Tec supply chains organized the supply process for service providers from the industrial zone in Sadat City, thus reducing the movement of cars, reducing carbon emissions, reducing the number of operating hours for cars, and thus reducing the number of times to change car motor oils.
- Oil Tec operations team have policies and procedures in place that determine the correct operation related to waste management. For this purpose, we conduct critical analysis tests to verify performance, with measurement on scales and laboratory analysis of effluents.
- Oil Tec works on the treatment of industrial wastewater in a scientific way to obtain water that conforms to the legislation and laws, used for irrigation around the company, and used for washing floors, thus reducing the consumption of city water.
- Oil Tec collects mineral oils resulting from changing motor oils for equipment and cars, and delivers them to petrol stations to be disposed of in their treatment units.
- Oil Tec collects the by-products resulting from refining edible oils, which were previously considered industrial waste, such as mucilage. Where these wastes are sent to the sister company Oleo Misr for Oleo Chemicals, where it is in charge of reusing these wastes and producing acid oil as well as various fatty acids.
- Oil Tec collects hazardous waste and delivers it to Nasiriyah landfill for safe disposal. There is also a contract with service providers accredited by environmental affairs to safely dispose of non-hazardous waste.
- Oil Tec works on the necessity of conformity with legislation and laws and allows all official bodies to conduct periodic reviews and draw samples to confirm conformity. It also allows customers to conduct periodic reviews and take all corrective and preventive actions on a permanent basis to ensure compliance with legislation, laws and other requirements of stakeholders and success partners.

Quality Certificates



HALAL Mark



ISO 14001:2015



ISO 9001:2015



ISO 22000:2018



ISO 45001:2018



All our Processes & Products are Comply with the High-Quality Standards, GMP, & Food Safety Authority requirements (NFSA White List under No.639)

Products Stuffing

SKU	Units/ Carton	Carton Dimension (cm)			Label Dimension (cm)			Net weight / Carton (Kg)	Gross weight / Carton (Kg)	Container Capacity (Carton)	
		Length	Width	Height	Length	Height	Blank Space			20 FT	40 FT HC
250 ml	24	29	20	19	3	8	-	5.52	6.42	2400	4360
300 ml pouch	20	13.5	30.3	11	-	-	-	5.52	5.8	3150	4825
500 ml	12	25.8	18.4	24.9	20	5.8	-	5.52	6.1	2200	4590
750 ml	12	29.3	22.2	26.3	23.5	6.2	1.2	8.28	8.88	1764	3150
800 ml	12	29.5	22.5	28.3	23.5	6.5	1.2	8.832	9.42	1520	2970
900 ml	12	31.6	23.5	28.6	24.8	7	1.2	9.936	10.54	1520	2655
1 Liter Round	12	32.8	24.4	28.7	26.2	7	1.2	11.04	11.692	1304	2400
1 Liter Square Long bottle	12	29.1	22	28.8	25.8	6.8	1.2	11.04	11.692	1608	2400
1 Liter Square Short bottle	12	29.5	23	26	27.2	6.8	1.2	11.04	11.72	1701	2400
1.8 Liter Side Handle	6	27.4	26.9	33.4	10.2	12.2	-	9.936	10.76	1176	2600
1.8 Liter Round	6	32.7	22.3	32	33.5	6.8	1.2	9.936	10.608	1344	2640
2.5 Liter Round	4	23	22.5	36	34	6.8	1.2	9.2	9.728	1440	2880
3 Liter with Handle Round	4	25.7	25.7	36	36.3	6.8	1.2	11.04	11.63	1008	2410
4 Liter Square	4	31	28.3	30	8.5	9.5	-	14.72	15.648	1008	1800
5 Liter Square	4	30.8	30.2	33	12	12	-	18.4	19.38	881	1450
5 Liter HDPE Jerrycan	4	38	30.4	25.7	13.8	14	-	18.4	20.12	975	1400
10 Liter HDPE Jerrycan	1	27.4	22.5	34	14.9	14.9	-	9.2	10.13	1834	N/A
16 Liter HDPE Jerrycan	-	29.2	24.2	31.6	13.1	14.8	-	14.72	15.62	1288	N/A
17 Liter Tin	1	24	24	36.5	-	-	-	15.64	17.005	800	1650
20 Liter Jerrycan Plain Square shape	-	29.3	23.5	38.5	16	16	-	18.4	19.715	1165	N/A
20 Liter Jerrycan Ribbed	-	28.6	28.5	37.8	16	16	-	18.4	19.715	1198	N/A
20 Liter Jerrycan Round shape	-	28.6	28.5	37.8	16	16	-	18.4	19.715	960	N/A
20 kg Shortening	-	36.8	27.8	26	-	-	-	20	20.7	960	1350
25 kg Shortening	-	39	32	25.5	-	-	-	25	25.7	784	1090
15 KG Tin Ghee	-	23.5	23.5	36	-	-	-	15	16.05	1242	1745
11 KG Tin Ghee	-	23.5	23.5	28	-	-	-	11	11.8	1944	2375
IBCs	-	-	-	-	-	-	-	920	985	20 IBC	N/A
Flexi Tanks	-	-	-	-	-	-	-	-	-	1	-

• All count in carton in 40 FT are subject to tare max. payload and restrictions at country of destination.



TO ADD CBS and
jerrycan and
soap photos

Purity & Quality



www.oiltecegypt.com

Administration & Factories

Lot no. 8, 2nd Industrial zone, Sadat City - Egypt

Tel.: (+20) 48 2656188 **Fax:** (+20) 48 2656187

e-mail: info@oiltecegypt.com



(+2) 0112 8666066

